

US00D907040S

(12) **United States Design Patent**
Hornung

(10) **Patent No.:** **US D907,040 S**
(45) **Date of Patent:** **** Jan. 5, 2021**

(54) **CONTROLLER FOR AN ELECTRONIC DEVICE**

(71) Applicant: **Wacom Co., Ltd.**, Kazo (JP)

(72) Inventor: **Thilo Naoki Hornung**, Toyko (JP)

(73) Assignee: **Wacom Co., Ltd.**, Kazo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/696,139**

(22) Filed: **Jun. 25, 2019**

(30) **Foreign Application Priority Data**

Dec. 28, 2018 (JP) 2018-029001

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/388**; D21/333; D14/400

(58) **Field of Classification Search**
USPC D14/388, 218, 454, 299, 496, 400, 401,
D14/402, 405, 409, 410, 412, 357;
D21/333; D13/168

CPC A63F 13/24; A63F 13/213; A63F 13/214;
A63F 13/00; A63F 13/212; A63F 13/20;
G06F 3/014; G06F 3/017; G06F 3/02;
G06F 3/03547; G06F 3/03549; G06F
3/041; G06F 3/0416; G06F 3/044; G06F
3/047; G06F 3/0346; G05G 9/047

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,674 S * 7/1992 Kuo D14/412
D383,134 S * 9/1997 Patton D14/218
D385,537 S * 10/1997 Walker D14/388
D405,071 S * 2/1999 Gambaro D14/347
5,894,303 A * 4/1999 Barr G06F 3/03543
345/163
D441,367 S * 5/2001 Alviar D14/412

D584,312 S * 1/2009 Bishop D14/412
D602,097 S * 10/2009 Oikawa D14/412
D690,684 S * 10/2013 Lee D14/218
D695,274 S * 12/2013 Barnsteiner D14/218
D696,668 S * 12/2013 Chen D14/402
D697,057 S * 1/2014 Kwon D14/218
D716,767 S * 11/2014 Lee D14/218
D716,768 S * 11/2014 Lee D14/218
D723,008 S * 2/2015 Kim D14/218
D772,986 S * 11/2016 Chen D21/333
D779,487 S * 2/2017 Rothfuß D14/388
D780,807 S * 3/2017 Chen D14/496
D784,990 S * 4/2017 Huang D14/401

(Continued)

FOREIGN PATENT DOCUMENTS

JP 3223025 U * 9/2019 G06F 3/0346

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Christensen O'Connor
Johnson Kindness PLLC

(57) **CLAIM**


The ornamental design for a controller for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a rear-left-top perspective view of a controller for an electronic device according to my new design;
FIG. 2 is a front-right-bottom perspective view thereof;
FIG. 3 is a rear bottom perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left elevational view thereof;
FIG. 6 is a right elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

The broken lines show portions of the controller for an electronic device which form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D790,483	S	*	6/2017	Yoon	D13/168
D795,959	S	*	8/2017	Chen	D21/333
D797,743	S	*	9/2017	Awad	D14/412
D800,841	S	*	10/2017	Chen	D21/333
D802,055	S	*	11/2017	Chen	D21/333
D804,579	S	*	12/2017	Britt	D21/333
D806,173	S	*	12/2017	Britt	D21/333
D810,083	S	*	2/2018	Kirkland	D14/412
D812,693	S	*	3/2018	Chen	D21/333
D813,203	S	*	3/2018	Hardi	D14/218
D814,370	S	*	4/2018	Kim	D12/174
D815,209	S	*	4/2018	Chen	D21/333
D815,210	S	*	4/2018	Chen	D21/333
D815,697	S	*	4/2018	Chen	D21/333
D817,300	S	*	5/2018	Bristol	D14/203.3
D819,638	S	*	6/2018	Lo	D14/388
10,061,458	B1	*	8/2018	Bristol	G06F 3/0488
2016/0363996	A1	*	12/2016	Higgins	G06F 3/0346
2017/0189798	A1	*	7/2017	Rogoza	G06F 3/02
2018/0104576	A1	*	4/2018	Hope	A63F 13/24

* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.