

US00D907156S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,156 S**
Purnomohadi (45) **Date of Patent:** **** Jan. 5, 2021**

(54) **SIGHT ADJUSTMENT TOOL**

(71) Applicant: **LEATHERMAN TOOL GROUP, INC.**, Portland, OR (US)

(72) Inventor: **Andro Purnomohadi**, Vancouver, WA (US)

(73) Assignee: **LEATHERMAN TOOL GROUP, INC.**, Portland, OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/671,915**

(22) Filed: **Nov. 30, 2018**

(51) **LOC (13) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**; D8/29

(58) **Field of Classification Search**
USPC D8/70, 14, 29, 40, 499; D15/138, 139, D15/144; D32/40; D22/108, 109, 110, D22/199
CPC F41G 1/54; F41G 1/00; F41G 1/38; F41G 1/383; F41G 3/323
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D83,321 S * 2/1931 Friedman D8/29
D142,054 S * 8/1945 Young D8/29
3,768,345 A * 10/1973 Barnes B25B 13/02
81/176.15
D311,315 S * 10/1990 Duke D8/14
D364,882 S * 12/1995 Junkers D15/199
5,697,268 A * 12/1997 Makovsky B25B 13/5091
81/125
D544,007 S * 6/2007 Marasco D15/140
7,611,312 B2 * 11/2009 Miyanaga B23B 51/0466
408/204
7,637,049 B1 * 12/2009 Samson F41A 35/00
42/107
D631,073 S * 1/2011 Papa D15/135

D637,901 S * 5/2011 Hinton D8/397
D647,546 S * 10/2011 Omi D15/139
D656,168 S * 3/2012 Omi D15/139
D659,730 S * 5/2012 Cantlon D15/140
D673,193 S * 12/2012 Dickrede D15/139
D689,352 S * 9/2013 Cecil D8/29

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2012-C15626 * 12/2011

OTHER PUBLICATIONS

Troy Industries Battle Sight Adjustment Tool, posted on amazon.com, earliest reviewed Sep. 28, 2011, [online], [site visited Apr. 22, 2020], URL: https://www.amazon.com/Troy-Industries-Battle-Sight-Adjustment/dp/B003JLJ9G8/ref=cm_cr_arp_d_product_top?ie=UTF8 (Year: 2011).*

(Continued)

Primary Examiner — Michael C Stout
Assistant Examiner — Fritzgerald L Butac
(74) *Attorney, Agent, or Firm* — Alston & Bird LLP


(57) **CLAIM**

The ornamental design for a sight adjustment tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sight adjustment tool according to my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top elevation view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken lines show portions of a sight adjustment tool which form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D719,199 S * 12/2014 Kurusu D15/138
9,448,027 B1 * 9/2016 Zinsner F41A 21/482
D772,030 S * 11/2016 Andersen D8/29
D772,673 S * 11/2016 Chen D8/86
D793,831 S * 8/2017 Russell D8/70
D799,924 S * 10/2017 Koiwa D8/29
D807,991 S * 1/2018 Fitzhugh D23/260
D823,089 S * 7/2018 Shikama D8/70
D838,754 S * 1/2019 Wang D15/139
D847,934 S * 5/2019 Hiler, Jr. D22/108
D853,808 S * 7/2019 Hyma D8/29
D874,600 S * 2/2020 Cole D22/108
2017/0043469 A1 * 2/2017 Keng B25F 1/02
2019/0145736 A1 * 5/2019 Williams F41G 1/545
42/108

OTHER PUBLICATIONS

Tactical Adjustment Tool Front Sight, posted on ebay.com, posted Sep. 1, 2018, [online], [site visited Apr. 22, 2020], URL: <https://www.ebay.com/itm/Tactical-Adjustment-Tool-Front-Sight-Removal-Installation-Gun-Smithing-Equipment-/332788439079> (Year: 2018).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7