



US00D907225S

(12) **United States Design Patent**  
**Maruyama**

(10) **Patent No.:** **US D907,225 S**

(45) **Date of Patent:** **\*\* Jan. 5, 2021**

(54) **PERSONAL WARMING APPARATUS**

(71) Applicant: **Kobayashi Pharmaceutical Co., Ltd.**,  
Osaka (JP)

(72) Inventor: **Tetsuya Maruyama**, Osaka (JP)

(73) Assignee: **Kobayashi Pharmaceutical Co., Ltd.**,  
Osaka (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/739,192**

(22) Filed: **Jun. 23, 2020**

**Related U.S. Application Data**

(62) Division of application No. 29/670,561, filed on Nov. 16, 2018.

(30) **Foreign Application Priority Data**

May 17, 2018 (JP) ..... 2018-010877  
May 17, 2018 (JP) ..... 2018-010878

(51) **LOC (13) Cl.** ..... **24-04**

(52) **U.S. Cl.**  
USPC ..... **D24/206**

(58) **Field of Classification Search**  
USPC ..... D24/206–208, 189; D6/582–583, 596,  
D6/601; 607/96, 108–111  
CPC ..... A61F 7/02; A61F 7/03; A61F 7/034  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|           |    |   |         |             |       |                       |
|-----------|----|---|---------|-------------|-------|-----------------------|
| D587,811  | S  | * | 3/2009  | Uchiyama    | ..... | D24/206               |
| 7,652,228 | B2 | * | 1/2010  | Igaki       | ..... | A61F 7/034<br>219/401 |
| D683,040  | S  | * | 5/2013  | Arsenault   | ..... | D24/206               |
| D690,022  | S  | * | 9/2013  | Sonoda      | ..... | D24/206               |
| D702,847  | S  | * | 4/2014  | Arsenault   | ..... | D24/206               |
| D863,577  | S  | * | 10/2019 | Chobuathong | ..... | D24/208               |
| D865,196  | S  | * | 10/2019 | Godfrey     | ..... | D24/206               |

\* cited by examiner

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Fitch, Even, Tabin & Flannery LLP


(57) **CLAIM**

I claim the ornamental design for a personal warming apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a personal warming apparatus;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a left side elevational view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7

