



US00D907309S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,309 S**
Wildeisen et al. (45) **Date of Patent:** **** Jan. 5, 2021**

(54) **HORSESHOE**
(71) Applicants: **John Wildeisen**, Wentzville, MO (US);
Isaiah Garn, Union, MO (US)
(72) Inventors: **John Wildeisen**, Wentzville, MO (US);
Isaiah Garn, Union, MO (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/651,571**
(22) Filed: **Sep. 21, 2018**
(51) **LOC (13) Cl.** **30-01**
(52) **U.S. Cl.**
USPC **D30/148**
(58) **Field of Classification Search**
USPC D30/146, 147, 148, 149, 150; D9/650;
D21/387; D24/192; D2/897, 906, 919,
D2/943, 980
CPC A01L 1/02; A01L 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,002 S *	8/1901	Bradley et al.	D30/147
D208,107 S *	7/1967	Kulak	D30/147
4,122,900 A *	10/1978	Barr	A01L 7/00 168/12
4,212,356 A	7/1980	Battle		
D270,959 S *	10/1983	Rigney	D30/147
4,585,068 A *	4/1986	Jungersen	A01L 1/04 168/11
D310,899 S *	9/1990	Kulak	168/4
5,004,052 A	4/1991	Appleton		
5,158,143 A	10/1992	Campbell		
6,092,605 A	7/2000	Cisneros		
6,263,973 B1 *	7/2001	Bergeleen	A01L 1/00 168/4
6,802,376 B2	10/2004	Prud'Homme		
D507,383 S	7/2005	Kinney et al.		

D509,328 S	9/2005	Kinney et al.		
D570,057 S *	5/2008	Lundqvist	D30/148
7,377,329 B2	5/2008	Coloumbe		
7,624,811 B2	12/2009	Coloumbe		
D632,848 S *	2/2011	Kerckhaert	D30/148
8,474,544 B2	7/2013	Mastice et al.		
D710,552 S *	8/2014	Hodges	D30/148
2011/0139467 A1 *	6/2011	Moller	A01L 5/00 168/12
2017/0202198 A1 *	7/2017	Smith	A01L 7/10

FOREIGN PATENT DOCUMENTS

GB	2392603 A *	3/2004	A01L 3/02
----	-------------	--------	-------	-----------

OTHER PUBLICATIONS

“Safe-Grip Horseshoes”. Found online Jun. 17, 2020 at facebook.com. Reference dated Feb. 8, 2019. Retrieved from <https://www.facebook.com/296213111039348/photos/a.296225084371484/296224807704845/?type=3>.*

(Continued)

Primary Examiner — Kendra Leslie Hamilton
(74) *Attorney, Agent, or Firm* — Paul M. Denk


(57) **CLAIM**

The ornamental design for the horseshoe, as shown and described.

DESCRIPTION

FIG. 1 is a bottom, front, left isometric view of a horseshoe, showing our new design;
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a front elevation view thereof; and,
FIG. 7 is a rear elevation thereof.

1 Claim, 2 Drawing Sheets



(56)

References Cited

OTHER PUBLICATIONS

Thoro'Bred Inc: Sidewinder XT Horseshoes. Found online Jun. 17, 2020 at thorobredinc.com. Reference dated Aug. 21, 2018. Retrieved from <https://web.archive.org/web/20180821110458/https://thorobredinc.com/shop/sidewinder/>.*

"Razerhorse Blog: What Is the Difference Between Razer Shoes and Traditional Horseshoes?". Found online Jun. 17, 2020 at razerhorseblog.wordpress.com. Reference dated Oct. 1, 2015. Retrieved from <https://razerhorseblog.wordpress.com/2015/10/01/what-is-the-difference-between-razer-shoes-and-traditional-horseshoes/>.*

"Iron "Ollov original" with Rubber Sole". Found online May 28, 2019 at hippotese.free.fr. Page dated Nov. 28, 2007. Retrieved from [hippotese.free.fr/blog/index.php/tag/Lone Pedersen](http://hippotese.free.fr/blog/index.php/tag/Lone+Pedersen).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7