



US00D907453S

(12) **United States Design Patent**  
**Brown**

(10) **Patent No.:** **US D907,453 S**  
(45) **Date of Patent:** **\*\* Jan. 12, 2021**

(54) **SHOE LACE PULL HOOK**

**DESCRIPTION**

- (71) Applicant: **Clinton D. Brown**, Denver, CO (US)
- (72) Inventor: **Clinton D. Brown**, Denver, CO (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/685,576**
- (22) Filed: **Mar. 29, 2019**
- (51) **LOC (13) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/14**
- (58) **Field of Classification Search**  
USPC ..... D8/14, 368, 369, 370; D3/28  
CPC ..... A47G 25/88; A43C 1/00; Y10T 24/2183  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,027,057	A *	3/1962	Johns	.....	A47G 25/88 223/113
3,149,684	A *	9/1964	Eckel	.....	E21B 33/138 175/71
3,197,097	A *	7/1965	Casuer	.....	A47G 25/88 223/113
3,771,699	A *	11/1973	Thibeault	.....	A47G 25/88 223/113
D280,463	S *	9/1985	Sheahan	.....	294/3.6
4,955,647	A *	9/1990	Alfredson	.....	F24B 15/10 294/14
D314,495	S *	2/1991	Zupancic	.....	D8/14

(Continued)

*Primary Examiner* — Philip S Hyder  
(74) *Attorney, Agent, or Firm* — Roger A. Jackson

(57) **CLAIM**

The ornamental design for a shoe lace pull hook, as shown and described.

FIG. 1 is a front perspective view of the shoe lace pull hook showing a spherical manual grab handle with an extension that terminates in an open hook;

FIG. 2 is an upper perspective view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook;

FIG. 3 is a hook end perspective view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook;

FIG. 4 is a spherical manual grab handle end perspective view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook;

FIG. 5 is an in use upper perspective view of the shoe lace pull hook showing the spherical manual grab handle being grasped by a user's hand in a partially encompassing manner partially covering the grab handle with the user's hand with the open hook being inserted into a shoe lace to be able to manually pull upward on the shoe lace pull hook to tighten a portion of the shoe lace, the broken line showings of the shoe and the hand are provided for the purpose of environment and form no part of the claimed design;

FIG. 6 shows a top plan view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook;


FIG. 7 shows a bottom footprint view of the shoe lace pull hook showing the spherical manual grab handle with the extension;

FIG. 8 shows an end elevation view of the shoe lace pull hook showing the spherical manual grab handle with the extension;

FIG. 9 shows an opposing end elevation view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook; and,

FIG. 10 shows a side elevation view of the shoe lace pull hook showing the spherical manual grab handle with the extension that terminates in the open hook.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

5,927,764 A \* 7/1999 Harriman ..... A47G 25/88  
223/113  
D441,584 S \* 5/2001 Ho ..... D6/580  
6,921,325 B1 \* 7/2005 Mace ..... A01M 31/006  
452/6  
D536,415 S \* 2/2007 Riley ..... D22/149  
D676,107 S \* 2/2013 Malcarne ..... D22/149  
D743,758 S \* 11/2015 Giancola ..... D8/14  
D769,106 S \* 10/2016 Tousignant ..... D8/367  
D809,354 S \* 2/2018 Richer ..... D8/14  
D830,495 S \* 10/2018 Covington ..... D22/144

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10