



US00D907589S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,589 S**
Houdek et al. (45) **Date of Patent:** **** *Jan. 12, 2021**

- (54) **4 BUTTON FOB TRANSMITTER**
- (71) Applicant: **TriMark Corporation**, New Hampton, IA (US)
- (72) Inventors: **Julie M. Houdek**, New Hampton, IA (US); **Glen A. Marshall**, Waverly, IA (US)
- (73) Assignee: **TriMark Corporation**, New Hampton, IA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/694,915**
- (22) Filed: **Jun. 14, 2019**

- D441,185 S 5/2001 Shimizu et al.
- D441,524 S 5/2001 Shimizu et al.
- D461,047 S 8/2002 Peterson
- D475,353 S 6/2003 Flick
- D478,720 S 8/2003 Lo
- 6,852,929 B2 2/2005 Scudder
- D508,862 S 8/2005 Behar et al.
- D514,527 S 2/2006 DiPasquale
- D515,515 S 2/2006 Li
- D528,990 S 9/2006 Li
- 7,242,278 B2 7/2007 Sugimoto et al.
- D556,701 S 12/2007 Nohara et al.
- D560,352 S 1/2008 Cadiz et al.
- D563,097 S 3/2008 Reichling et al.
- D576,959 S 9/2008 Aldape et al.
- D576,960 S 9/2008 Aldape et al.
- D590,780 S 4/2009 Deboer et al.
- 7,657,226 B2 2/2010 Gisler
- D622,710 S 8/2010 Goransson
- 7,839,655 B2 11/2010 Clark

(Continued)

Primary Examiner — Selina Sikder

(74) Attorney, Agent, or Firm — McKee, Voorhees & Sease, PLC

Related U.S. Application Data

- (62) Division of application No. 29/649,361, filed on May 29, 2018, now Pat. No. Des. 861,619.
- (51) **LOC (13) Cl.** **13-03**
- (52) **U.S. Cl.**
USPC **D13/168**
- (58) **Field of Classification Search**
USPC D13/168; D10/104.1, 106.1; D3/207, D3/208; D8/347
CPC ... B60R 2225/00; B60R 25/00; B60R 25/104; H01H 9/02; H01H 9/0214; H01H 9/0235; G07C 9/00944; G05B 1/01; E05B 19/0082; E05B 19/04; Y10T 70/8676
See application file for complete search history.

(57) **CLAIM**


We claim the ornamental design for a 4 button fob transmitter, substantially as shown.

DESCRIPTION

FIG. 1 is a front perspective view of the 4-button key fob transmitter of the present invention.
 FIG. 2 is a rear perspective of the key fob.
 FIG. 3 is a front elevation view of the key fob.
 FIG. 4 is a rear elevation view of the key fob.
 FIG. 5 is a right side elevation view of the key fob.
 FIG. 6 is a left side elevation view of the key fob.
 FIG. 7 is a top plan view of the key fob; and,
 FIG. 8 is a bottom plan view of the key fob.
 Figures show the key fob with structure shown in broken lines that are not a part of the claimed invention.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D390,195 S 2/1998 Chen
D407,006 S 3/1999 Sacco et al.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D639,547 S	6/2011	Stefanov	
D680,732 S	4/2013	Nagy	
D696,738 S	12/2013	Otto	
D710,314 S	8/2014	Safford	
D712,381 S	9/2014	Hwang et al.	
D721,660 S	1/2015	Wang	
D725,607 S	3/2015	Kandler et al.	
D730,150 S	5/2015	Kirzinger et al.	
D733,074 S	6/2015	Kandler et al.	
D734,607 S	7/2015	Leetz	
9,347,244 B2	5/2016	Lu	
D803,792 S	11/2017	Houdek et al.	
D832,678 S	11/2018	Sarpola	
D844,574 S	4/2019	Kandler	
D861,619 S *	10/2019	Houdek	D13/168
2002/0008610 A1	1/2002	Peterson	
2010/0102927 A1	4/2010	Mönig	
2010/0199729 A1	8/2010	Zaitz et al.	
2011/0132050 A1	6/2011	McCaffrey et al.	
2012/0087096 A1	4/2012	Shen	
2012/0140391 A1	6/2012	Nickel et al.	
2012/0199729 A1	8/2012	Kim et al.	
2015/0271941 A1	9/2015	Lu	
2016/0278229 A1	9/2016	Saito	
2017/0095040 A1	4/2017	Byrd et al.	
2017/0129457 A1	5/2017	Lee et al.	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8