



US00D907752S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,752 S**
Pelletier (45) **Date of Patent:** **** Jan. 12, 2021**

(54) **HEAT EXCHANGER**
(71) Applicant: **Danfoss Micro Channel Heat Exchanger (Jiaxing) Co., Ltd., Zhejiang (CN)**
(72) Inventor: **Pierre Olivier Pelletier, Zhejiang (CN)**
(73) Assignee: **DANFOSS MICRO CHANNEL HEAT EXCHANGER (JIAXING) CO., LTD., Zhejiang (CN)**

10,132,538 B2 11/2018 Fritz
D839,404 S 1/2019 Junfeng
D844,763 S 4/2019 Huan et al.
D845,454 S 4/2019 Junfeng
D849,215 S 5/2019 Huan et al.
D849,216 S 5/2019 Huan et al.
D852,338 S 6/2019 Huan et al.
D852,339 S 6/2019 Huan et al.
D853,541 S 7/2019 Huan et al.
10,584,921 B2 3/2020 Steinbach et al.
10,612,856 B2 4/2020 Jin et al.
2007/0204978 A1* 9/2007 Beamer F28D 1/05366
165/124
2008/0141686 A1 6/2008 Valiya-Naduvath et al.
2008/0173434 A1 7/2008 Matter et al.
2010/0006276 A1 1/2010 Cremaschi et al.
2010/0132922 A1* 6/2010 Meyer, IV F28D 15/0233
165/104.19
2010/0276129 A1 11/2010 Bodas et al.
(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/589,851**

(22) Filed: **Jan. 5, 2017**

(30) **Foreign Application Priority Data**

Aug. 26, 2016 (CN) 2016 3 0427129

(51) **LOC (13) Cl.** **23-03**

(52) **U.S. Cl.**
USPC **D23/323**

(58) **Field of Classification Search**
USPC D23/323, 322, 324, 325, 326, 327, 330, D23/386, 352, 354
CPC F28F 1/06; F28F 1/16; F28F 1/21; F28F 9/02; F28D 1/047; F28D 13/12; F28D 7/06; F28D 7/10; F28D 2001/0266; B21D 53/02; F28B 1/06

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,910,167 A 6/1999 Reinke et al.
D613,841 S * 4/2010 Bhatti D23/323
D787,033 S * 5/2017 Huan D23/323
D827,795 S * 9/2018 Junfeng D23/323
D828,910 S * 9/2018 Huan D23/323
D829,874 S * 10/2018 Junfeng D23/323

Primary Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber PLLC

(57) **CLAIM**

The ornamental design for a heat exchanger, substantially as shown and described.


DESCRIPTION

FIG. 1 is a front, left side and top perspective view of a heat exchanger comprising a new, original and ornamental design;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines shown represent portions of the heat exchanger and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0139425 A1 6/2011 Beamer
2011/0232884 A1 9/2011 Jiang et al.
2011/0315362 A1* 12/2011 Jiang F28D 1/05375
165/173
2012/0227944 A1 9/2012 Moisidis et al.
2014/0366571 A1 12/2014 Gao et al.
2015/0323229 A1* 11/2015 Kim F28D 1/0535
165/104.21
2017/0051981 A1* 2/2017 Singh F28B 1/06
2017/0108278 A1 4/2017 Yanik et al.
2017/0115066 A1* 4/2017 Adomat F28D 1/0476
2017/0205085 A1 7/2017 Lu et al.
2017/0234587 A1 8/2017 Jindou et al.
2018/0100701 A1 4/2018 Beaver et al.
2018/0299205 A1 10/2018 Rahhal et al.
2019/0154342 A1 5/2019 Jin et al.
2019/0186783 A1* 6/2019 Jin F28D 7/0066

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7