



US00D907823S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,823 S**
Lou (45) **Date of Patent:** **** Jan. 12, 2021**

(54) **LED TEMPORARY WORK LIGHT**

(71) Applicant: **SHENZHEN HOLDLED OPTO CO., LTD**, Guangdong (CN)

(72) Inventor: **Haifeng Lou**, Guangdong (CN)

(73) Assignee: **SHENZHEN HOLDLED OPTO CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/636,912**

(22) Filed: **Feb. 12, 2018**

(30) **Foreign Application Priority Data**

Aug. 21, 2017 (CN) 2017 3 0386815

(51) **LOC (13) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/40**

(58) **Field of Classification Search**
USPC D26/37-51
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00; F21L 25/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D331,634 S * 12/1992 Browne D26/119
- D555,266 S * 11/2007 Claassen D26/40
- D576,329 S * 9/2008 Poon D26/40
- D617,480 S * 6/2010 DeBrunner D26/40
- D629,537 S * 12/2010 Hsu D26/3
- D649,271 S * 11/2011 Crawford D26/37
- D657,483 S * 4/2012 Leen D26/37

- D739,586 S * 9/2015 Hong D26/51
- D740,475 S * 10/2015 Pineau D26/37
- D748,448 S * 2/2016 Nelson D26/113
- D748,836 S * 2/2016 Zhang D26/40
- D767,195 S * 9/2016 Pollack, Jr. D26/119
- D801,569 S * 10/2017 Ormsbee D26/37
- D809,690 S * 2/2018 Marshall D26/41
- D814,084 S * 3/2018 James D26/41
- D843,038 S * 3/2019 Vyvey D26/40
- 2018/0209594 A1 * 7/2018 Parisi F21L 4/00

* cited by examiner

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **CLAIM**


The ornamental design for a LED temporary work light, as shown and described.

DESCRIPTION

FIG. 1 is a top, rear and left side perspective view of a LED temporary work light showing my new design; FIG. 2 is a top, front and right side perspective view thereof; FIG. 3 is a bottom perspective view thereof; FIG. 4 is a bottom, rear and left side perspective view thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a right side view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; and, FIG. 11 is a rear elevational view showing the LED temporary work light.

The cords and buckles shown in FIG. 11 illustrate environmental structure and form no part of the claimed design. The broken lines illustrate portions of the article in the drawings that form no part of the claimed design.

1 Claim, 11 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11