



US00D907823S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,823 S**  
**Lou** (45) **Date of Patent:** **\*\* Jan. 12, 2021**

(54) **LED TEMPORARY WORK LIGHT**

(71) Applicant: **SHENZHEN HOLDLED OPTO CO., LTD**, Guangdong (CN)

(72) Inventor: **Haifeng Lou**, Guangdong (CN)

(73) Assignee: **SHENZHEN HOLDLED OPTO CO., LTD**, Shenzhen (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/636,912**

(22) Filed: **Feb. 12, 2018**

(30) **Foreign Application Priority Data**

Aug. 21, 2017 (CN) ..... 2017 3 0386815

(51) **LOC (13) Cl.** ..... **26-02**

(52) **U.S. Cl.**  
USPC ..... **D26/40**

(58) **Field of Classification Search**  
USPC ..... D26/37-51  
CPC ..... F21L 2003/00; F21L 4/00; F21L 4/005;  
F21L 4/02; F21L 4/025; F21L 4/027;  
F21L 4/04; F21L 4/08; F21L 2005/00;  
F21L 7/00; F21L 11/00; F21L 13/00;  
F21L 13/04; F21L 13/08; F21L 14/02;  
F21L 17/00; F21L 19/00; F21L 25/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,634 S \* 12/1992 Browne ..... D26/119  
D555,266 S \* 11/2007 Claassen ..... D26/40  
D576,329 S \* 9/2008 Poon ..... D26/40  
D617,480 S \* 6/2010 DeBrunner ..... D26/40  
D629,537 S \* 12/2010 Hsu ..... D26/3  
D649,271 S \* 11/2011 Crawford ..... D26/37  
D657,483 S \* 4/2012 Leen ..... D26/37

D739,586 S \* 9/2015 Hong ..... D26/51  
D740,475 S \* 10/2015 Pineau ..... D26/37  
D748,448 S \* 2/2016 Nelson ..... D26/113  
D748,836 S \* 2/2016 Zhang ..... D26/40  
D767,195 S \* 9/2016 Pollack, Jr. .... D26/119  
D801,569 S \* 10/2017 Ormsbee ..... D26/37  
D809,690 S \* 2/2018 Marshall ..... D26/41  
D814,084 S \* 3/2018 James ..... D26/41  
D843,038 S \* 3/2019 Vyvey ..... D26/40  
2018/0209594 A1\* 7/2018 Parisi ..... F21L 4/00

\* cited by examiner

*Primary Examiner* — Lakiya G Rogers

*Assistant Examiner* — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — JCIPRNET

(57) **CLAIM**


The ornamental design for a LED temporary work light, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, rear and left side perspective view of a LED temporary work light showing my new design; FIG. 2 is a top, front and right side perspective view thereof; FIG. 3 is a bottom perspective view thereof; FIG. 4 is a bottom, rear and left side perspective view thereof; FIG. 5 is a front elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a right side view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a bottom plan view thereof; and, FIG. 11 is a rear elevational view showing the LED temporary work light.

The cords and buckles shown in FIG. 11 illustrate environmental structure and form no part of the claimed design. The broken lines illustrate portions of the article in the drawings that form no part of the claimed design.

**1 Claim, 11 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11