

US00D907963S

(12) **United States Design Patent** (10) **Patent No.:** **US D907,963 S**
Ings (45) **Date of Patent:** **** Jan. 19, 2021**

(54) **DRINKS CARRIER**
(71) Applicant: **DRINKFINGER LIMITED,**
Haslemere, Surrey (GB)
(72) Inventor: **William Ings,** Haslemere (GB)
(73) Assignee: **DRINKFINGER LIMITED,** Surrey
(GB)
(**) Term: **15 Years**
(21) Appl. No.: **29/644,673**
(22) Filed: **Apr. 19, 2018**
(30) **Foreign Application Priority Data**
Feb. 22, 2018 (EM) 004720803
(51) **LOC (13) Cl.** **07-01**
(52) **U.S. Cl.**
USPC **D7/552.1**
(58) **Field of Classification Search**
USPC D7/396.4, 500, 543, 550.1, 552.1, 553.1,
D7/553.6, 554.2
CPC B65D 1/34; B65D 1/36; B65D 21/0204;
A47G 19/02; A47G 19/30; A47G 23/06;
A47G 23/0608
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,659,344 A * 2/1928 Wissman A47G 23/065
294/143
1,778,425 A * 10/1930 Maddocks A47G 23/065
294/159
3,142,425 A * 7/1964 Cobb A47G 23/0208
229/400
D200,654 S * 3/1965 Scott D7/552.1
3,768,710 A * 10/1973 Eggers A47G 23/0208
211/133.1

3,908,877 A * 9/1975 Kosisky A47G 23/0208
206/459.5
D292,161 S * 10/1987 Spolter D7/553.6
D317,998 S * 7/1991 Sanford D7/701
D320,722 S * 10/1991 Sanford D7/701
D342,421 S * 12/1993 DuBow D7/708
6,131,732 A * 10/2000 Schneider A47G 23/0641
206/217
D472,104 S * 3/2003 Jørgensen D7/590
6,964,443 B1 * 11/2005 Newton A47G 23/0208
206/217
D563,726 S * 3/2008 Fraser D7/553.1
D575,600 S * 8/2008 Mayer D7/553.1
D576,455 S * 9/2008 Siddle D7/701
D596,450 S * 7/2009 Nolan D7/354
D623,478 S * 9/2010 Hayashi D7/551.1
7,798,354 B2 * 9/2010 Stowers, Sr. A47G 19/065
206/562

(Continued)


Primary Examiner — Kelley A Donnelly
(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(57) **CLAIM**
The ornamental design for a drinks carrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a carrier of the present application;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof, the left side view being a mirror image thereof; and,
FIG. 5 is a bottom view thereof, the top view being a mirror image thereof.
The broken line showings of FIGS. 3-5 represent the perimeter outline, bottom surface and the thickness of the carrier, which features are not claimed as represented by the broken line showings in these figures, and are included for the purpose of illustrating the entire carrier.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

8,246,190	B2 *	8/2012	Boiteau	A47G 23/0641
				362/154
8,272,512	B2 *	9/2012	Joseph	A47G 23/0641
				206/563
D731,247	S *	6/2015	Kamei	D7/550.1
D734,099	S *	7/2015	Fissell	D7/553.8
D737,104	S *	8/2015	Sobotka	D7/554.2
D770,870	S *	11/2016	Nash	D7/551.1
D872,540	S *	1/2020	Mulder	D7/552.1
2005/0017134	A1 *	1/2005	Hooper	A47G 23/0208
				248/103
2015/0182054	A1 *	7/2015	Shames	A47G 23/0641
				206/217

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5