



US00D907985S

(12) **United States Design Patent**  
**Janjua**

(10) **Patent No.:** **US D907,985 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2021**

- (54) **REMOTE CONTROL LOCK**
- (71) Applicant: **Hassan Nasim Janjua**, Frisco, TX  
(US)
- (72) Inventor: **Hassan Nasim Janjua**, Frisco, TX  
(US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/701,543**
- (22) Filed: **Aug. 13, 2019**
- (51) **LOC (13) Cl.** ..... **08-07**
- (52) **U.S. Cl.**  
USPC ..... **D8/330**
- (58) **Field of Classification Search**  
USPC ..... D8/330, 331  
CPC ..... E05B 53/00; E05B 47/00; E05B 47/0012;  
E05B 2047/0048; E05B 2047/0072; E05B  
2047/0079; E05B 2047/0081  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,870,565	A *	8/1932	Heintz .....	E05B 85/22 292/169.11
4,733,776	A	3/1988	Ward	
D324,810	S	3/1992	Moye, Sr.	
5,195,634	A	3/1993	Zaug	
5,460,347	A	10/1995	Schacher	
D381,023	S	7/1997	Accardo	
D384,669	S	10/1997	Collier	
D412,706	S	8/1999	Virost	
5,988,572	A	11/1999	Chivallier et al.	
6,005,306	A *	12/1999	Pickard .....	G07C 9/00182 307/117
6,244,084	B1 *	6/2001	Warmack .....	E05B 47/0012 70/256
D477,309	S	7/2003	Cunningham et al.	

6,739,164	B2 *	5/2004	Warmack .....	E05B 47/0012 292/144
D491,168	S	6/2004	Petrick	
D581,344	S	11/2008	Richter	
7,808,382	B2	10/2010	Bonato	
D631,035	S	1/2011	Steimel, Jr.	
D647,079	S	10/2011	Woods et al.	
D654,054	S	2/2012	Kohte et al.	
8,138,886	B1 *	3/2012	Chang .....	G07C 9/00817 340/5.73
D677,652	S	3/2013	Gifford	
D739,389	S	9/2015	Prohaska	
D766,066	S *	9/2016	Euchner .....	D8/330
D779,466	S	2/2017	Wengreen	
D829,714	S	10/2018	Robinson	
10,400,472	B2 *	9/2019	Schultz .....	E05B 9/02
2006/0124806	A1	6/2006	Crowther	
2008/0042033	A1	2/2008	Risbara	
2008/0129503	A1	6/2008	Bonato	

(Continued)

*Primary Examiner* — Doris Clark  
(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig, PLLC


(57) **CLAIM**

The ornamental design for a remote control lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a remote control lock; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof. The broken lines shown in the drawings depict portions of the remote control lock that form no part of the claimed invention.

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2009/0256038 A1 10/2009 Schaefer  
2010/0288895 A1 11/2010 Shamie  
2015/0320930 A1 11/2015 James

\* cited by examiner




FIG. 2




FIG. 1









FIG. 4

FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8