



US00D908043S

(12) **United States Design Patent** (10) **Patent No.:** **US D908,043 S**
Woodward et al. (45) **Date of Patent:** **** Jan. 19, 2021**

(54) **FRONT PART FOR RAILWAY CARRIAGE BODY**

CPC B61F 3/08; B61F 5/14; B61F 5/38
See application file for complete search history.

(71) Applicant: **Bombardier Transportation GmbH**,
Berlin (DE)

(56) **References Cited**

(72) Inventors: **Jonathan Woodward**, Breadsall (GB);
Neil Simpson, Bazemont (FR); **Mike Turner**, Allestree (GB); **David Gordon**,
Pride Park (GB); **Michael Sohn**,
Neuruppin (DE); **Claudia Wessner**,
Berlin (DE); **Marco Caspari**,
Schönwalde-Glien (DE)

U.S. PATENT DOCUMENTS

D275,377	S	*	9/1984	Lutz	D12/40
D301,704	S	*	6/1989	Groves	D12/40
D331,033	S	*	11/1992	Renfrew	D12/40
5,170,715	A	*	12/1992	Gran	B60L 13/06 104/23.1
D421,581	S	*	3/2000	Dimson	D12/37
D498,705	S	*	11/2004	Meissner	D12/37
D499,047	S	*	11/2004	Meissner	D12/37
D596,988	S	*	7/2009	Chomiak	D12/36
D755,672	S	*	5/2016	Joren	D12/36
D758,243	S	*	6/2016	Greenway	D12/36
D758,244	S	*	6/2016	Greenway	D12/36
D758,920	S	*	6/2016	Greenway	D12/36
D822,541	S	*	7/2018	De Colombel	D12/36
D836,729	S	*	12/2018	Lee	D21/541

(**) Term: **15 Years**

(21) Appl. No.: **35/507,115**

(22) Filed: **Feb. 19, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Feb. 19, 2019**
Int. Reg. No.: **DM/202014**
Int. Reg. Date: **Feb. 19, 2019**
Int. Reg. Pub. Date: **Jul. 26, 2019**

(30) **Foreign Application Priority Data**

Aug. 27, 2018	(EM)	005620788-0004
Aug. 27, 2018	(EM)	005620788-0005
Aug. 27, 2018	(EM)	005620788-0006
Aug. 27, 2018	(EM)	005620788-0007
Aug. 27, 2018	(EM)	005620788-0008

(51) **LOC (13) Cl.** **12-03**

(52) **U.S. Cl.**
USPC **D12/36**

(58) **Field of Classification Search**
USPC **D12/36, 37, 40**

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Benoit & Côté Inc.

(57) **CLAIM**

The ornamental design for a front part for railway carriage body, as shown and described.

DESCRIPTION

FIG. 3.1 is a bottom plan view of a first embodiment of a front part for carriage body showing our new design; FIG. 3.2 is a left side elevation view thereof; FIG. 3.3 is a rear elevation view thereof; FIG. 3.4 is a perspective view thereof; FIG. 3.5 is a right side elevation view thereof; FIG. 3.6 is a front elevation view thereof; and FIG. 3.7 is a top plan view thereof. FIG. 4.1 is a rear elevation view of a second embodiment of a front part for carriage body showing our new design; FIG. 4.2 is a bottom plan view thereof; FIG. 4.3 is a right side elevation view thereof; FIG. 4.4 is a left side elevation view thereof; FIG. 4.5 is a perspective view thereof;

(Continued)




FIG. 4.6 is a top plan view thereof; and
FIG. 4.7 is a front elevation view thereof.

1 Claim, 14 Drawing Sheets

(56)


References Cited

U.S. PATENT DOCUMENTS


D867,208 S *	11/2019	Abe	D12/36
D867,927 S *	11/2019	Bassfeld	D12/40
D868,628 S *	12/2019	Lian	D12/37
2018/0178813 A1 *	6/2018	Garza	B61B 13/08

* cited by examiner


3.1



3.2




3.3




3.4




3.5




3.6




3.7




4.1




4.2



4.3




4.4



4.5



4.6



4.7

