



US00D908272S

(12) **United States Design Patent**  
**Tan**

(10) **Patent No.:** **US D908,272 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2021**

- (54) **LED LIGHT**
- (71) Applicant: **Yujun Tan**, Chenzhou (CN)
- (72) Inventor: **Yujun Tan**, Chenzhou (CN)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/738,479**
- (22) Filed: **Jun. 17, 2020**
- (51) **LOC (13) Cl.** ..... **26-05**
- (52) **U.S. Cl.**  
USPC ..... **D26/120**
- (58) **Field of Classification Search**  
USPC ..... D26/1, 24, 36, 40, 63, 72, 83, 118, 119,  
D26/120, 123, 124, 148, 149  
CPC ... F21V 1/00; F21V 1/10; F21V 1/143; F21V  
3/00; F21V 3/02; F21V 3/049; F21V  
5/045; F21V 7/00; F21V 7/04; F21V  
7/043; F21V 15/00; F21V 15/01; F21V  
15/012; F21V 21/00; F21V 21/02; F21V  
21/10; F21V 21/30; F21V 21/005; F21Y  
2115/00; F21Y 2115/10  
See application file for complete search history.

- D715,479 S \* 10/2014 Johnston ..... D26/113
- D747,022 S \* 1/2016 Leung ..... D26/40
- D766,483 S \* 9/2016 Khubani ..... D26/68
- D766,484 S \* 9/2016 Khubani ..... D26/68
- D796,729 S \* 9/2017 Sonneman ..... D26/118
- D813,424 S 3/2018 Shum et al.
- 10,132,480 B2 \* 11/2018 Ghasabi ..... F21V 1/00
- D863,614 S 10/2019 Renvall
- 10,520,166 B2 \* 12/2019 Chan ..... F21V 21/30
- D882,142 S \* 4/2020 Huang ..... D26/63
- D900,366 S \* 10/2020 Bertken ..... D26/40

(Continued)

*Primary Examiner* — Wan Laymon  
*Assistant Examiner* — Clint A Samuel

(57) **CLAIM**

The ornamental design for a LED light, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of an LED light showing my new design;  
 FIG. 2 is another perspective view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a rear elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a right side elevational view thereof;  
 FIG. 7 is a top plan view thereof;  
 FIG. 8 is a bottom plan view thereof;  
 FIG. 9 is a perspective elevational view of the LED light where the LED light in a first configuration of use;  
 FIG. 10 is a perspective elevational view of the LED light where the LED light in a second configuration of use;  
 FIG. 11 is an enlarged view of portion 11 shown in FIG. 1; and,  
 FIG. 12 is an enlarged view of portion 12 shown in FIG. 2.  
 The broken lines in the drawings depict portions of the LED light that form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D244,713 S \* 6/1977 Egan-Andrew ..... D26/24
- D274,003 S \* 5/1984 Johnson ..... D26/24
- 6,655,813 B1 \* 12/2003 Ng ..... F21S 8/02  
362/147
- D574,541 S \* 8/2008 Matsumoto ..... D26/74
- D583,492 S \* 12/2008 Jen ..... D26/40
- D599,921 S \* 9/2009 Rivardo ..... D26/24
- D602,185 S \* 10/2009 Chang ..... D26/36
- D625,876 S \* 10/2010 Chen ..... D26/74
- D644,781 S \* 9/2011 Kawagoe ..... D26/120
- D644,782 S \* 9/2011 Kawagoe ..... D26/120
- D675,368 S \* 1/2013 Leonard ..... D26/118



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D903,931 \* 12/2020 Guan ..... D26/110  
2020/0240613 A1 \* 7/2020 Merriam ..... F21V 5/02

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12