



US00D908295S

(12) **United States Design Patent** (10) **Patent No.:** **US D908,295 S**
Mott, Jr. et al. (45) **Date of Patent:** **** Jan. 19, 2021**

(54) **INTEGRATED DEVICE ATTACHMENT FOR COLLAR**

(71) Applicant: **Mars, Incorporated**, McLean, VA (US)

(72) Inventors: **Robert W Mott, Jr.**, Walnut Creek, CA (US); **Kyu Sang Lee**, San Jose, CA (US); **Stanley John Withouski, IV**, San Francisco, CA (US)

(73) Assignee: **MARS, INCORPORATED**, McLean, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/670,543**

(22) Filed: **Nov. 16, 2018**

(51) **LOC (13) Cl.** **30-99**

(52) **U.S. Cl.**
USPC **D30/199; D30/152**

(58) **Field of Classification Search**
USPC D30/151-155, 144; 119/850, 855-860, 119/862-865, 654, 712, 714, 720, 725,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,242,159 A 10/1917 Dunkleberger
1,271,650 A 7/1918 Arkin
(Continued)

FOREIGN PATENT DOCUMENTS

DE 202005013615 U1 12/1899
JP 1602690 S 4/2017

OTHER PUBLICATIONS

"U.S. Appl. No. 29/580,756, filed Oct. 12, 2016, 6 pgs".
(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Mars, Incorporated;
Rebecca M. Barnett

(57) **CLAIM**

We claim the ornamental design for an integrated device attachment for collar, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a top perspective view of an integrated device attachment for collar in accordance with the present design; FIG. 2 is a top perspective view of the integrated device attachment for collar, shown in an expanded position; FIG. 3 is a top plan view of the integrated device attachment for collar;

FIG. 4 is a side elevation view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top, side perspective view of the support frame component of the integrated device attachment for collar, shown separately for clarity;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a sectional view thereof, taken along line 9-9 as indicated in FIG. 7;

FIG. 10 is an enlarged front elevation view thereof;

FIG. 11 is a top perspective view of the latch component of the integrated device attachment for collar, shown separately for clarity;

FIG. 12 is a top plan view thereof;

FIG. 13 is a bottom view thereof;

FIG. 14 is a sectional view thereof, taken along line 14-14 as indicated in FIG. 12;



FIG. 15 is a side view thereof;

FIG. 16 is a front elevation view thereof; and,

FIG. 17 is a rear elevation view thereof.

The broken line(s) on the display screen, text, and images form no part of the claimed design.

1 Claim, 8 Drawing Sheets
(3 of 8 Drawing Sheet(s) Filed in Color)



US D908,295 S

Page 2

(58) Field of Classification Search

USPC 119/760, 762–776, 791–794, 815, 821,
119/724, 655, 51.02, 660, 174, 907;
24/16 R, 17 AP, 3.5 P, 188, 662, 324, 3.6,
24/307, 625, 616, 200, 196, 171, 169,
24/112, 614, 615, 115 F, 620, 681, 602,
24/306, 442, 274 R, 302, 300, 301, 298,
24/323, 16 PB, 265 H, 163 K, 163 R, 355,
24/543, 168; D11/3, 12, 200, 7, 79–87,
D11/97, 99, 107, 108, 82, 137, 105, 103,
D11/1, 2, 40–44, 46–49, 53, 56, 57,
D11/59–61, 63, 65, 89, 90–92, 101, 106,
D11/114–116, 201, 208–210, 212–218,
D11/220, 230–234, 236, 237, 94, 6, 11;
D2/609, 627, 624, 632, 635, 976, 629,
D2/631, 636, 614, 610, 639; 2/300,
2/311–319, 321, 322, 338, 339, 237, 170,
2/DIG. 11, 365, 307, 308, 910, 917;
D24/195, 211, 189, 190, 192;
D3/207–212, 270–271.3, 327; D26/38;
206/37.1, 38.1; D6/302–304; 70/456 R,
70/456 B, 458, 459, 18, 49, 58; D8/1,
D8/34, 38, 18, 394, 382, 396; 54/19.1;
63/1.11, 3.1, 3.2, 3, 9, 37, 38, 18–20, 23,
63/12, 13, 14.1, 21, 31, 15.2, 15, 1.13,
63/5.1, 1.1; 59/85, 89; 424/409;
43/131; 446/314, 376; 428/28; 606/203,
606/204, 201; 602/62; 128/876,
128/DIG. 15; 40/633, 665, 618, 640;
473/212, 216; 604/20; 231/7; 361/232;
403/212, 213, 391; 256/57, 47; 410/97,
410/23, 7; 292/307 R, 317; 362/108,
362/103, 191
CPC . A01K 27/001–009; F16B 2/12; A44B 11/28;
A44B 11/25

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,380,177 A 5/1921 Arkin
1,402,827 A 1/1922 Arkin
1,754,200 A 4/1930 Janes, E.D.
1,839,896 A 1/1932 Theodore
2,364,266 A 12/1944 Edward
3,251,110 A * 5/1966 Hedu A44B 11/263
24/616
3,477,409 A 11/1969 Costanzo
3,782,017 A 1/1974 Graham
D242,675 S 12/1976 McNair
4,208,986 A 6/1980 Costanzo
4,318,234 A 3/1982 Charles et al.
D264,260 S * 5/1982 Terino, Jr. D11/218
4,742,503 A 5/1988 Braun et al.
4,809,700 A * 3/1989 Castelli A61B 5/0408
600/384
D300,678 S 4/1989 Bell, et al.
4,821,424 A 4/1989 Loggins
4,881,492 A * 11/1989 Jones A01K 27/005
119/865
4,940,020 A 7/1990 Gordon
D337,411 S 7/1993 Smith
D349,864 S 8/1994 Dunlap et al.
5,473,830 A 12/1995 Doble
5,603,094 A 2/1997 Greear, Jr.
5,623,731 A 4/1997 Ehrgott et al.
D410,206 S 5/1999 Slater
6,202,599 B1 3/2001 Cutler
6,314,058 B1 11/2001 Lee
D454,991 S 3/2002 Muller

D460,221 S 7/2002 Sloot
D464,941 S 10/2002 Latto
D471,678 S * 3/2003 Hanna D11/218
D478,830 S 8/2003 So
6,695,269 B1 * 2/2004 Anscher A45C 13/30
224/269
6,720,879 B2 4/2004 Edwards
6,805,460 B1 * 10/2004 Zoller A01K 27/006
362/103
D516,754 S * 3/2006 Curtis D30/152
D521,927 S 5/2006 Franck
D523,188 S * 6/2006 Lord D30/152
D524,282 S 7/2006 Beasley et al.
7,107,941 B2 * 9/2006 Wang A01K 27/005
119/865
7,140,989 B2 11/2006 Poruchny
D535,281 S 1/2007 Yang
D537,409 S 2/2007 Suzuki
D558,209 S 12/2007 Ikeda
D565,182 S 3/2008 Cheng
7,341,561 B2 3/2008 Tanaka et al.
D575,009 S * 8/2008 Murrell D30/152
D575,289 S 8/2008 Kuo
D584,176 S 1/2009 Maruyama
D591,012 S 4/2009 Geissler
D592,647 S 5/2009 Henaff
D594,404 S 6/2009 Kuo
D594,874 S 6/2009 Sheba
D597,676 S 8/2009 Copeland
D599,241 S 9/2009 Andre
D607,617 S * 1/2010 Golenz D30/152
D608,277 S 1/2010 Cano
D609,636 S 2/2010 Jensen
7,705,736 B1 4/2010 Kedziora
D618,802 S 6/2010 Brady
D619,256 S 7/2010 Brady
D619,308 S * 7/2010 Roysky D30/152
D625,262 S 10/2010 Lee
D627,718 S 11/2010 Houghton
D656,096 S 3/2012 Sasada
D657,274 S 4/2012 Neethling
D663,684 S 7/2012 Yang
D663,685 S 7/2012 Yang
D667,322 S 9/2012 Madrack
D668,562 S 10/2012 Madrack
D669,027 S 10/2012 Kumpula
D671,921 S 12/2012 Beall
D673,110 S 12/2012 Sasada
D673,908 S 1/2013 Koch
8,353,603 B2 1/2013 Berry
8,356,579 B2 * 1/2013 Sullivan A01K 27/001
119/862
D680,541 S 4/2013 Lee
D693,814 S 11/2013 Park
D694,228 S 11/2013 Richter
D695,468 S * 12/2013 Finlan D30/152
D698,376 S 1/2014 Funato
D704,634 S 5/2014 Eidelman
D706,321 S 6/2014 Oetlinger
D709,396 S 7/2014 Eidelman
D724,971 S 3/2015 Bailey
D724,991 S * 3/2015 Oh D11/87
D725,511 S 3/2015 Read
D725,841 S * 3/2015 So D30/152
D725,850 S * 3/2015 Eidelman D24/167
D742,817 S 11/2015 Lammers-Meis
9,179,647 B2 * 11/2015 Lambert A01K 27/001
D744,658 S 12/2015 Hilkey-Boyatt
D745,421 S 12/2015 Akana
D749,570 S 2/2016 Lee
D761,138 S 7/2016 Manabe
D769,869 S 10/2016 Zhou
D772,745 S 11/2016 Henne
D774,651 S 12/2016 Kaib
D778,746 S 2/2017 Renganathan
D780,238 S 2/2017 Kato
D784,325 S 4/2017 Kim
D788,999 S 6/2017 Zinn
D794,206 S * 8/2017 Cohrs D24/186

(56)

References Cited

U.S. PATENT DOCUMENTS

D797,100 S 9/2017 Wieser
D798,861 S 10/2017 Wieser
D800,085 S 10/2017 Shepher
D800,721 S 10/2017 Kim
9,861,080 B1 1/2018 Hathway et al.
D812,499 S 3/2018 Kuh
D815,061 S 4/2018 Wei
D815,077 S 4/2018 Sibley
9,949,459 B2 4/2018 Patti et al.
D816,520 S 5/2018 Elrod
D816,917 S * 5/2018 Lee D30/152
D817,558 S * 5/2018 Lee D30/152
D817,559 S * 5/2018 Lee D30/152
D819,633 S 6/2018 Jun
9,986,791 B2 6/2018 Botkus et al.
10,021,946 B2 * 7/2018 Kaneko A44B 11/258
D828,189 S 9/2018 Benedetti
D838,716 S 1/2019 Teng
D839,753 S 2/2019 Domke
D840,251 S 2/2019 Choi
D841,005 S 2/2019 Lin
D846,748 S 4/2019 Benedikter
D850,627 S 6/2019 Purani
D852,436 S * 6/2019 Leach D30/152
10,376,020 B1 * 8/2019 Doyle A01K 27/008
10,420,401 B2 * 9/2019 Eidelman A01K 27/009
D861,534 S * 10/2019 Paik D11/216
D867,685 S * 11/2019 del Moral D30/152
10,463,021 B2 * 11/2019 Lee A01K 27/008
2002/0010390 A1 1/2002 Guice et al.
2003/0094145 A1 * 5/2003 Cheng A01K 27/006
119/859
2003/0116101 A1 6/2003 Kim et al.

2006/0000194 A1 1/2006 Duncan et al.
2006/0236955 A1 * 10/2006 Lord A01K 27/004
119/794
2006/0236956 A1 * 10/2006 Lord A01K 27/001
119/794
2007/0209604 A1 9/2007 Groh et al.
2007/0221140 A1 * 9/2007 Warren A01K 11/008
119/859
2008/0210176 A1 * 9/2008 Lalor A01K 15/021
119/859
2009/0013939 A1 1/2009 Santiago et al.
2009/0038670 A1 * 2/2009 Shu A01K 15/023
136/244
2012/0048213 A1 3/2012 Kononov
2013/0006065 A1 1/2013 Yanai et al.
2015/0020751 A1 1/2015 Pattie et al.
2016/0150857 A1 * 6/2016 Botkus A44B 11/2592
24/615
2017/0079383 A1 * 3/2017 Huang A44B 11/2592
2017/0208775 A1 * 7/2017 Van Curen A01K 15/022
2018/0098525 A1 * 4/2018 Lee A01K 27/008


OTHER PUBLICATIONS

“Whistle 3 GPS Pet Tracker & Activity, Available for sale Jun. 8, 2007 [online]”, Amazon.com, [Retrieved on Jul. 1, 2018], Available from internet URL: <https://www.amazon.com/dp/b01n7mwkwy/ref=sspa_dk_detail_1?pcs=1>, 9 pages.

“Amazon.com, Inc. Web page, JPO’s Prior Design Ref. No. HJ27044048”, Date first available, Oct. 5, 2015, 7 pages.

Whistle Fit, published 2018 [online], [retrieved on Jul. 17, 2018], Available from Internet, URL: <https://www.petinsight.com/whistle-fiti>, 5 pgs.

* cited by examiner






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 16




FIG. 14




FIG. 17




FIG. 15