



US00D908321S

(12) **United States Design Patent**
Sonntag

(10) **Patent No.:** **US D908,321 S**
(45) **Date of Patent:** **** Jan. 26, 2021**

(54) **FIREFIGHTER HOODED GARMENT**

(71) Applicant: **PGI, Inc.**, Green Lake, WI (US)

(72) Inventor: **James A. Sonntag**, Green Lake, WI (US)

(73) Assignee: **PGI, Inc.**, Green Lake, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/704,151**

(22) Filed: **Sep. 3, 2019**

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/878**

(58) **Field of Classification Search**
USPC D2/728, 823, 824, 825, 828, 831, 865,
D2/866, 867, 870, 874, 877, 878, 880,
D2/881, 883, 884, 889; D29/106, 107,
D29/108

CPC A41D 2200/20; A41D 2300/30; A41D
27/12; A41D 3/00; A41D 3/005; A41D
3/02; A41D 3/04; A41D 3/08; A42B 1/00;
A42B 1/02; A42B 1/04; A42B 1/041;
A42B 1/043; A42B 1/046; A42B 1/061;
A42B 1/066; A42B 1/201; A42B 1/22;
A42B 3/00; A42B 3/18; A42B 5/00;
A42B 7/00; A42B 17/003; A42B 17/005;
A42B 17/006; A42B 17/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D140,461 S * 2/1945 Butler D2/865
6,532,596 B1 * 3/2003 Fosmo A41B 13/10
2/202
6,766,534 B2 * 7/2004 Lewis A42B 1/048
2/84
D689,670 S * 9/2013 Lorenc D2/878
D762,348 S * 8/2016 Harris D2/854
D770,731 S * 11/2016 Norman D2/831

D843,689 S * 3/2019 Kinnear D2/828
D843,692 S * 3/2019 Greenblat D2/865
10,478,644 B2 * 11/2019 Leggett A42B 1/041
(Continued)

OTHER PUBLICATIONS

Cobra Ultimate with Sure Fit Hood, [online]; [Wayback Machine
crawl-back date internet publication date found for Nov. 3, 2014];
[retrieved on Sep. 8, 2020]; URL: https://web.archive.org/web/20141103110351/http://www.cobrahoods.com/index.php/hoods/cobra_ultimate_with_comfort_plus_liner_sure_fit_hood_3038185_SF/.*

(Continued)

Primary Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — Burr & Forman LLP;
Douglas L. Lineberry


(57) **CLAIM**

The ornamental design for a firefighter hooded garment, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective of the firefighter hooded garment;
FIG. 2 is a front view of the firefighter hooded garment;
FIG. 3 is a back view of the firefighter hooded garment;
FIG. 4 is a left side view of the firefighter hooded garment,
the right side being a mirror image to the left side view; and,
FIG. 5 is a top view of the firefighter hooded garment.
The short dashed broken lines around the bottom edge and
opening for the face of the firefighter hooded garment depict
claimed stitching. The larger dashed broken lines along the
interior openings of the firefighter hooded garment define
the extent of the claimed design and form no part of the
claimed design. The shade lines that resemble a quilted
pattern defined by broken lines applied to the surfaces of the
firefighter hooded garment represent a contrast in appear-
ance.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

10,555,576 B2 * 2/2020 Brust A42B 1/045
D892,453 S * 8/2020 Glover D2/878
2013/0074244 A1 * 3/2013 Cole A42B 1/067
2/172
2018/0207453 A1 * 7/2018 Barbeau B32B 5/024

OTHER PUBLICATIONS

Cobra Ultimate Hood, [online]; [Wayback Machine crawl-back date internet publication date found for Feb. 12, 2014]; [retrieved on Aug. 9, 2020]; URL: https://web.archive.org/web/20140212200145/http://www.cobrahoods.com/index.php/hoods/cobra_ultimate_hood_3042093/. (3 pages). (Year: 2014).*

* cited by examiner




Fig. 1




Fig. 3




Fig. 2




Fig. 5




Fig. 4