

US00D908529S

(12) **United States Design Patent** (10) **Patent No.:** **US D908,529 S**
Woods (45) **Date of Patent:** **** Jan. 26, 2021**

(54) **FLAG HOLDER**

(71) Applicant: **Steve Woods**, Portland, TX (US)

(72) Inventor: **Steve Woods**, Portland, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/650,394**

(22) Filed: **Jun. 6, 2018**

(51) **LOC (13) Cl.** **11-05**

(52) **U.S. Cl.**
USPC **D11/182**

(58) **Field of Classification Search**
USPC D11/165, 166, 180, 181, 182, 183, 108,
D11/109, 143, 152, 154, 222, 223;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D18,687 S * 10/1888 Frick D11/223
D20,216 S * 10/1890 Sippili D11/109
(Continued)

OTHER PUBLICATIONS

Chandler Dickinson, Blacksmithing-Forging a Hand Shaped Flag Holder, Apr. 25, 2019 found on Sep. 7, 2020 at <https://www.youtube.com/watch?v=2zeRo9zdhbl> (Year: 2019).*

Primary Examiner — Karen S Acker

(57) **CLAIM**

An ornamental design for a flag holder, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the flag holder;
FIG. 2 is a front elevation view of the flag holder;
FIG. 3 is a rear elevation view of the flag holder;
FIG. 4 is a right side view of the flag holder;

FIG. 5 is a left side view of the flag holder;
FIG. 6 is a top view of the flag holder;
FIG. 7 is a bottom view of the flag holder;
FIG. 8 is a perspective view of the flag holder of FIG. 1 in a position of use;
FIG. 9 is a front perspective view of a second embodiment of the flag holder;
FIG. 10 is a front elevation view of a second embodiment of the flag holder;
FIG. 11 is a rear elevation view of a second embodiment of the flag holder;
FIG. 12 is a right side view of a second embodiment of the flag holder;
FIG. 13 is a left side view of a second embodiment of the flag holder;
FIG. 14 is a top view of a second embodiment of the flag holder;
FIG. 15 is a bottom view of a second embodiment of the flag holder;
FIG. 16 is a perspective view of the flag holder of FIG. 9 in a position of use;
FIG. 17 is a front perspective view of a third embodiment of the flag holder;
FIG. 18 is a front elevation view of a third embodiment of the flag holder;
FIG. 19 is a rear elevation view of a third embodiment of the flag holder;
FIG. 20 is a right side view of a third embodiment of the flag holder;
FIG. 21 is a left side view of a third embodiment of the flag holder;
FIG. 22 is a top view of a third embodiment of the flag holder;
FIG. 23 is a bottom view of a third embodiment of the flag holder;
FIG. 24 is a perspective view of the flag holder of FIG. 17 in a position of use;
FIG. 25 is a front perspective view of a fourth embodiment of the flag holder;
FIG. 26 is a front elevation view of a fourth embodiment of the flag holder;
FIG. 27 is a rear elevation view of a fourth embodiment of the flag holder;

(Continued)




FIG. 28 is a right side view of a fourth embodiment of the flag holder;
 FIG. 29 is a left side view of a fourth embodiment of the flag holder;
 FIG. 30 is a top view of a fourth embodiment of the flag holder;
 FIG. 31 is a bottom view of a fourth embodiment of the flag holder;
 FIG. 32 is a perspective view of the flag holder of FIG. 25 in a position of use.
 FIG. 33 is a front perspective view of a fifth embodiment of the flag holder;
 FIG. 34 is a front elevation view of a fifth embodiment of the flag holder;
 FIG. 35 is a rear elevation view of a fifth embodiment of the flag holder;
 FIG. 36 is a right side view of a fifth embodiment of the flag holder;
 FIG. 37 is a left side view of a fifth embodiment of the flag holder;
 FIG. 38 is a top view of a fifth embodiment of the flag holder;
 FIG. 39 is a bottom view of a fifth embodiment of the flag holder; and,
 FIG. 40 is a perspective view of the flag holder of FIG. 33 in a position of use.
 The broken lines in the drawings depict portions of the flag holder that form no part of the claimed design. In FIGS. 8, 16, 24, 32 and 40, the broken lines illustrating a flag with flag pole, architectural elements and features from nature depict environmental subject matter that forms no part of the claimed design.

1 Claim, 40 Drawing Sheets

(58) **Field of Classification Search**

USPC D8/373, 376, 380, 391; D20/16, 17, 28, D20/41-43; D21/840; D22/103, 142; D24/228; D7/509, 523, 529; D2/830

CPC G09F 17/00; G09F 2017/00; G09F 2017/0066; G09F 2017/0075; G09F 2017/005; G09F 2017/0008
 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D21,317	S *	1/1892	Prange	D11/222
D30,713	S *	5/1899	Cook	D11/107
D34,589	S *	5/1901	Blackburn	D99/22
D47,781	S *	9/1915	Carson	D20/33
D90,807	S *	10/1933	Horwitz	D6/674.1
D132,592	S *	6/1942	Elliot	D11/107
D220,398	S *	4/1971	Geltzer	D20/33
D236,360	S *	8/1975	Youngblood	D11/107
D252,277	S *	7/1979	Chaires	D11/104
D343,111	S *	1/1994	Golin	D6/512
D391,099	S *	2/1998	Corrales	D6/674.1
D409,662	S *	5/1999	Ho	D11/160
D442,798	S *	5/2001	Davenport	D6/674.1
D448,717	S *	10/2001	Hanson	D12/162
6,305,051	B1 *	10/2001	Cho	A63B 53/14 16/430
D464,084	S *	10/2002	Phillips	D11/160
D476,919	S *	7/2003	Vidmar	D11/182
D490,015	S *	5/2004	Anderson	D11/109
6,742,757	B2 *	6/2004	Fox	G09F 17/00 248/535
6,964,403	B2 *	11/2005	Fox	G09F 17/00 116/173
D516,630	S *	3/2006	Noh	D20/33
7,484,328	B1 *	2/2009	Daugherty	A01M 3/02 43/137
D639,206	S *	6/2011	Lach	G09F 17/00 D11/182
D662,442	S *	6/2012	Ettorre	D11/182
D773,957	S *	12/2016	Greer	D11/131
D815,863	S *	4/2018	Wheeler	D6/674
D856,188	S *	8/2019	Caple	D11/182
D870,092	S *	12/2019	Johnsen	D14/253
2008/0092797	A1 *	4/2008	Lanh	G09F 17/00 116/173
2016/0167215	A1 *	6/2016	Li	B25G 1/00 16/430

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7

FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15

FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26





FIG. 27






FIG. 29




FIG. 30





FIG. 31

FIG. 32






FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39

FIG. 40

