



US00D908616S

(12) **United States Design Patent** (10) **Patent No.:** **US D908,616 S**
Bonilla et al. (45) **Date of Patent:** **** Jan. 26, 2021**

(54) **CHARGE CENTER**

(71) Applicant: **Hubbell Incorporated**, Shelton, CT (US)

(72) Inventors: **Nelson Bonilla**, Shelton, CT (US);
Jason Walker, Bethany, CT (US);
Timothy Repp, Barkhamsted, CT (US)

(73) Assignee: **Hubbell Incorporated**, Shelton, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/644,375**

(22) Filed: **Apr. 17, 2018**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**
USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0013; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,326,767	B1	12/2001	Small et al.	
D456,085	S *	4/2002	O'Brien	D25/56
D654,019	S *	2/2012	Ikegame	D13/108
D680,066	S *	4/2013	Kinoshita	D13/107
D710,797	S *	8/2014	Awiszus	D13/107
D722,957	S *	2/2015	Kotaniemi	D13/108
D736,703	S *	8/2015	Kotaniemi	D13/108

D755,122	S *	5/2016	Gecawicz	D13/107
D761,729	S *	7/2016	Leong	D13/108
D801,920	S *	11/2017	Yoon	D13/107
D805,030	S *	12/2017	Massar	D13/108
D823,792	S *	7/2018	Komoni	D13/107
D860,132	S *	9/2019	Fu	D13/108

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0926798 A1 6/1999

OTHER PUBLICATIONS

PCT/US2019/020011 International Search Report and Written Opinion dated May 2, 2019 (17 pages).

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich, LLP

(57) **CLAIM**

We claim the ornamental design for a charge center, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a charge center according to another embodiment of the application.


FIG. 2 is a top view of the charge center shown in FIG. 1. FIG. 3 is a bottom view of the charge center shown in FIG. 1.

FIG. 4 is a front view of the charge center shown in FIG. 1. FIG. 5 is a rear view of the charge center shown in FIG. 1. FIG. 6 is a first side view of the charge center shown in FIG. 1; and,

FIG. 7 is a second side view of the charge center shown in FIG. 1.

The broken lines in the figures depict portions of the charge center which form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D866,460 S	*	11/2019	Komoni	D13/108
2011/0121790	A1	5/2011	Brandon, II	
2011/0234153	A1	9/2011	Abramson	
2012/0249051	A1	10/2012	Son et al.	
2013/0274920	A1	10/2013	Abramson et al.	
2013/0328522	A1	12/2013	Brockman et al.	
2015/0123598	A1	5/2015	Tew et al.	
2015/0326061	A1	11/2015	Davison et al.	
2016/0088482	A1	3/2016	Zeiler et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7