



US00D908617S

(12) **United States Design Patent** (10) **Patent No.:** **US D908,617 S**  
**Briggs et al.** (45) **Date of Patent:** **\*\* Jan. 26, 2021**

(54) **EARPIECE CHARGING CASE**  
(71) Applicant: **New Audio LLC**, New York, NY (US)  
(72) Inventors: **Drew Stone Briggs**, Brooklyn, NY (US); **Nicholas Slaney**, Jersey City, NJ (US); **Thomas C. Wilson**, Brooklyn, NY (US); **Marten Wallby**, Malmo (SE)  
(73) Assignee: **New Audio LLC**, New, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/647,389**

(22) Filed: **May 11, 2018**

(51) **LOC (13) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/108**; D3/274

(58) **Field of Classification Search**  
USPC ..... D13/103, 107-108, 110, 184, 199;  
D14/251, 253, 432, 434; D3/201, 205,  
D3/208, 218, 273, 274, 294  
CPC ..... H02J 7/0044; H02J 7/0045; H02J 7/0042;  
H02J 7/342; H02J 7/345; H02J 7/025;  
H02J 7/026; H02J 7/0007; H02J 7/0027;  
H02J 7/0003; H02J 50/00; H02J 50/10;  
H02J 50/12; H02J 50/80; H02J 50/40  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D552,029 S \* 10/2007 Kingston ..... D13/108  
D553,077 S \* 10/2007 Kim ..... D13/108  
D740,223 S \* 10/2015 Yoneta ..... D13/108  
D817,640 S \* 5/2018 Dang ..... D3/294  
D829,168 S \* 9/2018 Masee ..... D13/108  
D841,580 S \* 2/2019 Bao ..... D13/108  
D841,581 S \* 2/2019 Bonahoom ..... D13/108

D864,110 S \* 10/2019 Yoshimura ..... D13/108  
D872,689 S \* 1/2020 Vardi ..... D13/108  
D873,217 S \* 1/2020 Zhang ..... D13/108  
D881,810 S \* 4/2020 Zhang ..... D13/108  
10,701,472 B1 \* 6/2020 Xu ..... H02J 7/0044  
D894,123 S \* 8/2020 Xiong ..... D13/108  
2018/0123367 A1 \* 5/2018 Higgins ..... H02J 7/0047

\* cited by examiner

*Primary Examiner* — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Holzer Patel Drennan


(57) **CLAIM**


The ornamental design for an earpiece charging case, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an earpiece charging case showing our new design, as viewed from the top and front and with the charging case in a closed state.  
FIG. 2 is a front elevational view thereof.  
FIG. 3 is a back elevational view thereof.  
FIG. 4 is a right side elevational view thereof.  
FIG. 5 is a left side elevational view thereof.  
FIG. 6 is a top plan view thereof.  
FIG. 7 is a bottom plan view thereof.  
FIG. 8 is a perspective view of the earpiece charging case, showing our new design, as viewed from the top and front and with the charging case in a closed state.  
FIG. 9 is a front elevational view thereof.  
FIG. 10 is a back elevational view thereof.  
FIG. 11 is a right side elevational view thereof.  
FIG. 12 is a left side elevational view thereof.  
FIG. 13 is a top plan view thereof; and,  
FIG. 14 is a bottom plan view thereof.  
The broken lines depict portions of the earpiece charging case that form no part of the claimed design.


**1 Claim, 8 Drawing Sheets**






*Fig. 1*







*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*



*Fig. 8*




*Fig. 9*




*Fig. 10*






*Fig. 11*




*Fig. 12*





*Fig. 13*



*Fig. 14*