



US00D908635S

(12) **United States Design Patent**  
**Takenaga**

(10) **Patent No.:** **US D908,635 S**

(45) **Date of Patent:** **\*\* Jan. 26, 2021**

(54) **ELECTRICAL CONNECTOR**

(71) Applicant: **Japan Aviation Electronics Industry, Limited**, Tokyo (JP)

(72) Inventor: **Yuichi Takenaga**, Tokyo (JP)

(73) Assignee: **JAPAN AVIATION ELECTRONICS INDUSTRY, LIMITED**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/705,777**

(22) Filed: **Sep. 16, 2019**

(30) **Foreign Application Priority Data**

Mar. 29, 2019 (JP) ..... 2019-006784

(51) **LOC (13) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/147**

(58) **Field of Classification Search**  
USPC ..... D13/107, 110, 118, 120, 123, 133, 146,  
D13/147, 149, 154, 184, 199

CPC ..... H01R 12/00; H01R 12/70; H01R 12/71;  
H01R 12/716; H01R 13/405; H01R  
13/426; H01R 13/631; H01R 13/635  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D562,770 S *	2/2008	Obikane	.....	D13/147
D603,801 S *	11/2009	Obikane	.....	D13/147
D703,146 S *	4/2014	Takenaga	.....	D13/147
D722,564 S *	2/2015	Yoshida	.....	D13/147
D744,429 S *	12/2015	Kobuchi	.....	D13/147
D767,499 S *	9/2016	Goto	.....	D13/147
D795,813 S *	8/2017	Goto	.....	D13/147
D828,306 S *	9/2018	Horino	.....	D13/147
D870,674 S *	12/2019	Ashibu	.....	D13/147
D871,345 S *	12/2019	Ashibu	.....	D13/147

D878,301 S *	3/2020	Yamada	.....	D13/147
D878,302 S *	3/2020	Yamada	.....	D13/147
D885,346 S *	5/2020	Ishida	.....	D13/147
D893,434 S *	8/2020	Ishida	.....	D13/147
D894,842 S *	9/2020	Ashibu	.....	D13/147
2006/0178022 A1 *	8/2006	Liu	.....	H01R 13/26 439/74
2013/0309881 A1 *	11/2013	Tagawa	.....	H01R 43/0256 439/83
2014/0273587 A1 *	9/2014	Takenaga	.....	H01R 13/6275 439/345

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP 2019121439 A \* 7/2019

*Primary Examiner* — Angela J Lee

*Assistant Examiner* — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka


(57) **CLAIM**

The ornamental design for an electrical connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an electrical connector showing my new design;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a perspective view showing a front, top and right side thereof;  
 FIG. 8 is a perspective view showing a rear, bottom and left side thereof;  
 FIG. 9 is a perspective view showing a front, right and bottom side thereof; and,  
 FIG. 10 is a perspective view showing a rear, left and top side thereof.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2016/0064843 A1\* 3/2016 Hasegawa ..... H01R 12/73  
439/65  
2017/0264048 A1\* 9/2017 Ashibu ..... H01R 12/716  
2019/0273334 A1\* 9/2019 Hashiguchi ..... H01R 12/57

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10