



US00D908726S

(12) **United States Design Patent**  
**Araki**

(10) **Patent No.:** **US D908,726 S**

(45) **Date of Patent:** **\*\* \*Jan. 26, 2021**

(54) **DISPLAY SCREEN WITH TRANSITIONAL GRAPHICAL USER INTERFACE**

(71) Applicant: **THE YOKOHAMA RUBBER CO., LTD.**, Tokyo (JP)

(72) Inventor: **Yasuhiko Araki**, Hiratsuka (JP)

(73) Assignee: **THE YOKOHAMA RUBBER CO., LTD.**, Tokyo (JP)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/682,639**

(22) Filed: **Mar. 6, 2019**

(30) **Foreign Application Priority Data**

Sep. 6, 2018 (JP) ..... 2018-019469

(51) **LOC (13) Cl.** ..... **14-04**

(52) **U.S. Cl.**

USPC ..... **D14/486**

(58) **Field of Classification Search**

USPC ..... D14/485-495; 715/764, 781, 745, 763, 715/771; 700/83

CPC .. G06F 3/0482; G06F 3/0481; G06F 3/04842; G06F 3/04847; G06F 3/0484; G06F 3/0485; G06F 3/0488; G06F 3/04812; G06F 3/04817; G06F 3/04883; G06F 30/15; G06F 16/27; G06F 16/686; G06F 2203/04803; G06Q 10/06; G06Q 10/20; G11B 19/025; H04W 4/70; H04M 1/72566; H04L 67/02; H04L 67/04; H04L 67/306; H04L 41/22; H04N 21/431; B60C 23/007; B60C 23/008; B60C 23/0433; B60C 23/0472

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D437,601 S *	2/2001	Utsuki	.....	D14/486
D548,242 S *	8/2007	Viegers	.....	D14/487
D638,024 S *	5/2011	Wall	.....	D14/486
D681,651 S *	5/2013	Fletcher	.....	D14/485

(Continued)

OTHER PUBLICATIONS

Wallentowitz, Henning, "Automotive Engineering II Lateral Vehicle Dynamics" Feb. 28, 2014, Euromotor, site visited May 29, 2020: [https://www.euromotor.org/pluginfile.php/1497/mod\\_resource/content/0/pdf\\_script/lecture2\\_lateral\\_dynamics.pdf](https://www.euromotor.org/pluginfile.php/1497/mod_resource/content/0/pdf_script/lecture2_lateral_dynamics.pdf) (Year: 2014).\*

(Continued)

*Primary Examiner* — Jack Reickel

*Assistant Examiner* — Christopher M Spivey

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a display screen with transitional graphical user interface, as shown and described.



**DESCRIPTION**

FIG. 1 is a front view of a display screen with transitional graphical user interface showing my design in a first state; and,

FIG. 2 is a front view of the display screen in a second state. In the drawings, the outermost broken line rectangle showing of the display screen is included for environmental purposes only and forms no part of the claimed design. The broken lines showing Japanese characters form no part of the claimed design.

The appearance of the animated image sequentially transitions between the images shown in FIG. 1 and FIG. 2. The process or period in which one image transitions to another forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



(56)

**References Cited**

## U.S. PATENT DOCUMENTS

D684,172 S	*	6/2013	Rytt .....	D14/486
D687,839 S	*	8/2013	Narayanamurthy .....	D14/485
D688,685 S	*	8/2013	Rhee .....	D14/486
D705,787 S	*	5/2014	Talbot .....	D14/485
D736,233 S	*	8/2015	Kanenari .....	D14/486
D774,077 S	*	12/2016	Donnelly .....	D14/488
D788,800 S	*	6/2017	Wu .....	D14/486
D795,902 S	*	8/2017	Ahmad .....	D14/486
D849,776 S	*	5/2019	Bassett .....	D14/486

## OTHER PUBLICATIONS

Trzesniowski, Michael, "Steering Kinematics" Jun. 25, 2016, Springer, site visited May 29, 2020: [https://link.springer.com/chapter/10.1007/978-3-319-05449-0\\_4#CR3](https://link.springer.com/chapter/10.1007/978-3-319-05449-0_4#CR3) (Year: 2016).\*

Hanzaki, A. Rahmani, "Kinematic and sensitivity analysis and optimization of planar rack-and-pinion steering linkages" Jan. 31, 2009, ScienceDirect, site visited May 29, 2020: <https://www.sciencedirect.com/science/article/pii/S0094114X08000505> (Year: 2009).\*

Ruddell, Thomas, "Creating upper and lower bound slopes to a linear equation statistically" Sep. 15, 2015, StackOverflow, site visited May 29, 2020: <https://stackoverflow.com/questions/32577890/creating-upper-and-lower-bound-slopes-to-a-linear-equation-statistically> (Year: 2015).\*

\* cited by examiner

車種名: \_\_\_\_\_  
 車種: \_\_\_\_\_  
 車両ID: \_\_\_\_\_  
 管理区: \_\_\_\_\_

企業名: \_\_\_\_\_  
 車両番号: \_\_\_\_\_  
 車両ID: \_\_\_\_\_  
 製造番号: \_\_\_\_\_  
 車種: \_\_\_\_\_  
 車両番号: \_\_\_\_\_  
 管理区: \_\_\_\_\_

POS	空気圧 (kpa)	温度 (°C)	湿度 (%)	RFID	車両ID
1					
2					
3					
4					
5					
6					




FIG. 1




FIG. 2