



US00D909116S

(12) **United States Design Patent**  
**Gaudyn**

(10) **Patent No.:** **US D909,116 S**  
(45) **Date of Patent:** **\*\* Feb. 2, 2021**

- (54) **POT WITH INSULATED BOTTOM**
- (71) Applicant: **Halina Gaudyn**, Park Ridge, IL (US)
- (72) Inventor: **Halina Gaudyn**, Park Ridge, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/746,908**
- (22) Filed: **Aug. 18, 2020**

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 16/136,819, filed on Sep. 20, 2018.
- (51) **LOC (13) Cl.** ..... **07-02**
- (52) **U.S. Cl.**  
USPC ..... **D7/360; D7/354**
- (58) **Field of Classification Search**  
USPC ..... D7/313, 337, 323, 354–363, 391, D7/393–396, 409  
CPC ..... A47G 19/12; A47J 27/00; A47J 27/002; A47J 27/08; A47J 27/21; A47J 27/56; A47J 27/58; A47J 36/025; A47J 36/06; A47J 36/12; A47J 36/30; A47J 36/34; A47J 37/00; A47J 37/10; A47J 37/101; A47J 37/103; A47J 37/12; A47J 37/1204; A47J 45/061; A47J 45/071; A47J 45/08; B65D 51/1605; F24B 1/26; F24C 1/16; H05B 6/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D100,012 S \* 6/1936 Ford ..... D7/337
- 2,584,040 A \* 1/1952 Naranick ..... F24B 1/202  
126/262

- 5,048,506 A \* 9/1991 Hayashi ..... A47J 36/30  
126/262
- 5,638,806 A \* 6/1997 Foust ..... A47J 36/34  
126/214 A
- D458,076 S \* 6/2002 Hoekstra ..... D7/360
- 8,893,703 B2 \* 11/2014 DeFoort ..... F24B 1/26  
126/9 R
- D794,380 S \* 8/2017 Rodriguez ..... D7/360
- D811,801 S \* 3/2018 Workman ..... D7/361
- D840,744 S \* 2/2019 Lights ..... D7/360
- D899,841 S \* 10/2020 Leach ..... D7/313
- 2003/0121921 A1 \* 7/2003 Burton ..... B65D 51/1605  
220/366.1
- 2010/0072208 A1 \* 3/2010 Darling ..... A47J 27/56  
220/573.1
- 2012/0017884 A1 \* 1/2012 Van Den Hoff ..... F24C 1/16  
126/25 R

\* cited by examiner

*Primary Examiner* — Ricky Pham

(74) *Attorney, Agent, or Firm* — Charles F. Meroni, Jr.; Meroni & Meroni, PC


(57) **CLAIM**

The ornamental design for a pot with insulated bottom, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a pot with insulated bottom showing my new design.  
 FIG. 2 is a bottom perspective view thereof.  
 FIG. 3 is a front view thereof.  
 FIG. 4 is a back view thereof.  
 FIG. 5 is a left side view thereof.  
 FIG. 6 is a right side view thereof.  
 FIG. 7 is a top view thereof.  
 FIG. 8 is a bottom view thereof; and,  
 FIG. 9 is a sectional view thereof, taken along a section as indicated in FIG. 6.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5

FIG. 9




FIG. 9

FIG. 6




FIG. 7






FIG. 8




FIG. 9