



US00D909166S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,166 S**
Alva (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **HOOK AND CLAMP DEVICE**

(71) Applicant: **Luis Alfonso Alva**, Corpus Christi, TX
(US)

(72) Inventor: **Luis Alfonso Alva**, Corpus Christi, TX
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/693,769**

(22) Filed: **Jun. 5, 2019**

(51) **LOC (13) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/73**

(58) **Field of Classification Search**
USPC D8/71-74, 394-399, 59; 248/63, 72,
248/74.1, 689, 124.2; 81/487, 385, 386,
81/388-390; 269/3, 4, 6, 143, 165, 240,
269/243, 246-249, 254 R, 147-149;
29/256, 257, 276; 408/103, 104-109
CPC B25B 1/00; B25B 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,914,829 A	4/1957	Willemain	
3,997,152 A *	12/1976	Sass	B25B 5/00 269/249
4,074,899 A	2/1978	Hochstetler	
4,083,624 A *	4/1978	Timmer	H01R 11/26 269/249
4,106,508 A	8/1978	Berlin	
4,582,307 A *	4/1986	Wang	B25B 5/101 269/182
D348,816 S *	7/1994	Degen	D8/73
D358,538 S *	5/1995	Cote	D8/73
D375,239 S *	11/1996	Hall	D8/73
5,893,553 A *	4/1999	Pinkous	B25B 5/101 269/143
D413,429 S *	9/1999	Carson	D3/10

D480,617 S *	10/2003	Varzino	D8/73
D489,241 S *	5/2004	Parham	D8/73
7,669,840 B2	3/2010	Xu	
8,727,291 B2 *	5/2014	Scoggins	H02S 20/00 248/226.11

(Continued)

FOREIGN PATENT DOCUMENTS

CA	2693576	1/2009
DE	10297105 B4	7/2011
EP	0448179 B1	1/1996

Primary Examiner — David G Muller

(74) *Attorney, Agent, or Firm* — M. Susan Spiering;
Ochoa & Associates, P.C.

(57) **CLAIM**

The ornamental design for a hook and clamp device, as shown and described.

DESCRIPTION

A portion of the disclosure of this patent document contains material to which a claim for copyright is made. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure as it appears in the Patent and Trademark Office patent file or records, but reserves all other copyright rights whatsoever.

FIG. 1 is a perspective view of the hook and clamp device; FIG. 2 is a right side elevational view of the hook and clamp device;

FIG. 3 is a left side elevational view, and mirror image of FIG. 2, of the hook and clamp device;


FIG. 4 is a front side view of the hook and clamp device;

FIG. 5 is a rear side view of the hook and clamp device;

FIG. 6 is a top plan view of the hook and clamp device; and,

FIG. 7 is a bottom plan view of the hook and clamp device.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D719,001 S * 12/2014 Robinson D8/73
D881,684 S * 4/2020 Yoshikawa D8/395
2010/0108442 A1 5/2010 Ballantyne

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7