

US00D909173S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,173 S**
Sabberton (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **HANDLE**
(71) Applicant: **Keurig Green Mountain, Inc.**,
Burlington, MA (US)
(72) Inventor: **Iain James Sabberton**, Cambridge
(GB)
(73) Assignee: **Keurig Green Mountain, Inc.**,
Burlington, MA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/681,414**
(22) Filed: **Feb. 25, 2019**
(51) **LOC (13) Cl.** **08-06**
(52) **U.S. Cl.**
USPC **D8/300**; D8/321; D7/393; D7/397
(58) **Field of Classification Search**
USPC D8/300, 303, 306, 307, 308, 311, 314,
D8/320, 321; D7/393, 394, 397, 399
CPC . Y10T 74/20828; Y10T 16/476; Y10T 16/44;
Y10T 292/57; Y10T 74/2087; Y10S
16/12; Y10S 16/19; Y10S 16/30; Y10S
16/90; B25G 1/102; B25G 1/10; A47J
31/407; A47J 31/4407; A47J 31/44
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D161,643 S * 1/1951 Prescott D28/84
D181,721 S * 12/1957 Fletcher, Jr. D7/393
3,091,488 A * 5/1963 Vander A45C 13/126
292/241
D367,215 S * 2/1996 Jones D15/142
5,618,067 A * 4/1997 Carlson E05B 9/08
292/175
D385,339 S * 10/1997 Jones D23/303

6,155,615 A * 12/2000 Schultz E05B 65/0817
292/163
D453,898 S * 2/2002 Barnes D8/307
D456,688 S * 5/2002 Polowinczak D8/300
D501,784 S * 2/2005 Tibbenham D8/300
D520,341 S * 5/2006 Eenigenburg D8/339
D550,499 S * 9/2007 Argabrite D7/309
D565,178 S * 3/2008 Tanaka D24/107
D584,131 S * 1/2009 Roberts D8/338
D616,720 S * 6/2010 Aruga D8/302
D644,958 S * 9/2011 Blackford D11/221
D663,158 S * 7/2012 Jacquet D7/393
D674,233 S * 1/2013 Lavy D7/309
D680,849 S * 4/2013 Berger D8/308
D699,065 S * 2/2014 Bucher D7/306
D704,525 S * 5/2014 Coakley B25G 3/32
D8/107
D720,180 S * 12/2014 Manly D7/397
D752,383 S * 3/2016 Zox D7/396.1


(Continued)

Primary Examiner — Lauren R Calve
(74) *Attorney, Agent, or Firm* — Wolf, Greenfield &
Sacks, P.C.

(57) **CLAIM**
The ornamental design for a handle, as shown and described.

DESCRIPTION
FIG. 1 is a top, front, left side perspective view of a handle according to my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof; and,
FIG. 7 is a rear elevation view thereof.
The short dash-long dash broken lines illustrate boundaries of the claimed design and form no part of the claimed design. The dash-dash broken lines illustrate portions of the handle that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,774 S * 5/2016 McWilliams D9/443
D779,910 S * 2/2017 Paquette D8/308
D843,797 S * 3/2019 Joseph D7/698
D854,364 S * 7/2019 Fucci D7/306
D877,563 S * 3/2020 Cauwood D7/397
2011/0265658 A1* 11/2011 Talon A47J 31/407
99/289 R
2015/0173563 A1* 6/2015 Priley A47J 31/407
426/425
2015/0216350 A1* 8/2015 Talon A47J 31/0673
99/295
2019/0212205 A1* 7/2019 McColl A47J 31/4489

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7