US00D909197S

(12) United States Design Patent

Baker et al.

(10) Patent No.: US D909,197 S
(45) Date of Patent: ** *Feb. 2, 2021

(54) **BATTERY PACKAGING**

(71) Applicant: **DURACELL U.S. OPERATIONS, INC.**, Wilmington, DE (US)

(72) Inventors: **Kathleen Ann Baker**, Bethel, CT (US); **Tatiana Jouanneau**, Bethel, CT (US); **Scott Stewart**, Bethel, CT (US); **William Shackford**, Bethel, CT (US); **Natalie Denny**, Chicago, IL (US); **Michael Lafortezza**, Pleasantville, NY (US); **Paul Lafortezza**, Pleasantville, NY (US); **Cliff Fischer**, Pleasantville, NY (US)

(73) Assignee: **DURACELL U.S. OPERATIONS, INC.**, Wilmington, DE (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/673,557**

(22) Filed: **Dec. 14, 2018**

(51) **LOC (13) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/430**; D9/415; D9/418

(58) **Field of Classification Search**
USPC D9/414–423, 430–433, 434, 456, 457, D9/600, 652, 711, 713, 721–722, 737,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D224,290 S * 7/1972 Robertson D9/735
D398,844 S 9/1998 Oberloier
(Continued)

FOREIGN PATENT DOCUMENTS

JP 282273 6/1968
JP 1531223 S 8/2015

OTHER PUBLICATIONS

Duracell Optimum 1.5V Alkaline AA Batteries. [online] Retrieved Dec. 20, 2019 from URL: https://www.amazon.com/Duracell-Optimum-1-5V-Alkaline-Batteries/dp/B07RTNB65C?ref_=ast_sto_dp&th=1&psc=1.*

(Continued)

Primary Examiner — Vy N Koenig
(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for battery packaging, as shown and described.

DESCRIPTION

FIG. **1** is a bottom, left, back perspective view of a first embodiment of a battery packaging according to our new ornamental design;
FIG. **2** is a top, left, front perspective view thereof;
FIG. **3** is a back view thereof;
FIG. **4** is a front view thereof;
FIG. **5** is a left-side view thereof;
FIG. **6** is a right-side view thereof;
FIG. **7** is a top view thereof; and
FIG. **8** is a bottom view thereof.
FIG. **9** is a bottom, left, back perspective view of a second embodiment of a battery packaging according to our new ornamental design;
FIG. **10** is top, left, front perspective view thereof;
FIG. **11** is a back view thereof;
FIG. **12** is a front view thereof;
FIG. **13** is a left-side view thereof;
FIG. **14** is a right-side view thereof;
FIG. **15** is a top view thereof; and
FIG. **16** is a bottom view thereof.
FIG. **17** is a bottom, left, back perspective view of a third embodiment of a battery packaging for showing our new ornamental design;
FIG. **18** top, left, front perspective view thereof;
FIG. **19** is a back view thereof;

(Continued)



FIG. **20** is a front view thereof;
FIG. **21** is a left-side view thereof;
FIG. **22** is a right-side view thereof;
FIG. **23** is a top view thereof; and
FIG. **24** is a bottom view thereof.
FIG. **25** is a bottom, left, back perspective view of a fourth embodiment of a battery packaging according to our new ornamental design;
FIG. **26** is top, left, front perspective view thereof;
FIG. **27** is a back view thereof;
FIG. **28** is a front view thereof;
FIG. **29** is a left-side view thereof;
FIG. **30** is a right-side view thereof;
FIG. **31** is a top view thereof; and
FIG. **32** is a bottom view thereof.
FIG. **33** is a bottom, left, back perspective view of a fifth embodiment of a battery packaging according to our new ornamental design;
FIG. **34** is a top, left, front perspective view thereof;
FIG. **35** is a back view thereof;
FIG. **36** is a front view thereof;
FIG. **37** is a left-side view thereof;
FIG. **38** is a right-side view thereof; and
FIG. **39** is a top view thereof; and
FIG. **40** is a bottom view thereof.
FIG. **41** is a bottom, left, back perspective view of a sixth embodiment of a battery packaging according to our new ornamental design;
FIG. **42** is top, left, front perspective view thereof;
FIG. **43** is a back view thereof;
FIG. **44** is a front view thereof;
FIG. **45** is a left-side view thereof;
FIG. **46** is a right-side view thereof;
FIG. **47** is a top view thereof; and,
FIG. **48** is a bottom view thereof.
The broken lines shown in the Figures represent environmental subject matter and portions of the battery packaging that form no part of the claimed design.
FIGS. **17-24** and **41-48** are shown with a symbolic break in the battery packaging width. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 36 Drawing Sheets

(58) **Field of Classification Search**
USPC D9/756, 758, 759, 760; D20/10, 22, 27, D20/40, 42
CPC ... B65D 5/00; B65D 5/02; B65D 5/18; B65D 5/20
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,732 S 4/1999 Gaffney et al.
D423,926 S * 5/2000 Kellar D9/415
D432,009 S 10/2000 Pirro et al.
D432,908 S 10/2000 Pirro et al.
6,308,832 B1 10/2001 Pirro et al.
D450,239 S 11/2001 Otto
D451,014 S 11/2001 Otto
D451,382 S 12/2001 Adkins
D470,047 S 2/2003 Lee et al.
D479,126 S 9/2003 Kumakura et al.
D480,964 S 10/2003 Lee
D506,925 S 7/2005 Plumer
6,918,532 B2 7/2005 Sierra-Gomez et al.
D516,419 S * 3/2006 Kellar D9/415
D520,356 S 5/2006 Kellar et al.
D544,788 S 6/2007 Brittain
D593,854 S 6/2009 Casanova et al.
D631,371 S 1/2011 Borgheim et al.
D635,468 S * 4/2011 Buitrago D9/711
D635,469 S * 4/2011 Buitrago D9/711
D646,561 S 10/2011 Pugh
8,066,125 B2 11/2011 Kang et al.
8,066,177 B2 * 11/2011 Tanaka B65D 5/18 229/120.03
8,114,451 B2 2/2012 Sierra-Gomez et al.
D668,532 S * 10/2012 Bowler D9/415
D689,374 S 9/2013 Logue
D695,625 S 12/2013 Limback
D697,398 S 1/2014 Guevara-Ludt
D699,107 S * 2/2014 Streich D9/457
D715,637 S 10/2014 Caminada
D723,365 S 3/2015 Mitchell et al.
D724,425 S 3/2015 Atkinson
D730,169 S 5/2015 Atkinson
D731,883 S 6/2015 Davidson et al.
D739,227 S 9/2015 Mitchell et al.
D742,735 S 11/2015 Fetman
D767,985 S 10/2016 Schouten
D793,222 S * 8/2017 Boyea D9/414
9,809,368 B2 11/2017 Huffer
D805,890 S 12/2017 Hong
D813,028 S 3/2018 Saito et al.
9,950,840 B2 4/2018 Radomyselski et al.
D818,816 S 5/2018 Baker et al.
D818,817 S 5/2018 Baker et al.
D818,818 S 5/2018 Debnath et al.
D819,437 S 6/2018 Baker et al.
D820,674 S 6/2018 Yuan
D822,479 S 7/2018 Baker et al.
D827,423 S 9/2018 DeMaere et al.
D827,424 S 9/2018 DeMaere et al.
D833,270 S 11/2018 Fath et al.
D844,428 S 4/2019 Stadelmaier et al.
D859,141 S 9/2019 Baker et al.
D869,268 S * 12/2019 Baker D9/415
2016/0137375 A1 5/2016 Huffer

OTHER PUBLICATIONS

U.S. Appl. No. 29/673,558, Battery Packaging, Baker et al., filed Dec. 15, 2018.
U.S. Appl. No. 29/673,556, Battery Packaging, Baker et al., filed Dec. 14, 2018.
U.S. Appl. No. 29/673,559, Battery Packaging, Baker et al., filed Dec. 15, 2018.

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14

FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25



FIG. 26



FIG. 27



FIG. 28



FIG. 29



FIG. 30



FIG. 31



FIG. 32



FIG. 33



FIG. 34



FIG. 35



FIG. 36



FIG. 37



FIG. 38

FIG. 39



FIG. 40



FIG. 41



FIG. 42



FIG. 43



FIG. 44



FIG. 45



FIG. 46



FIG. 47



FIG. 48