



US00D909240S

(12) **United States Design Patent**  
**Hirsh**

(10) **Patent No.:** **US D909,240 S**

(45) **Date of Patent:** **\*\* Feb. 2, 2021**

- (54) **PENNANT MOUNT**
- (71) Applicant: **Kenneth A. Hirsh**, Chicago, IL (US)
- (72) Inventor: **Kenneth A. Hirsh**, Chicago, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/668,881**
- (22) Filed: **Nov. 2, 2018**
- (51) **LOC (13) Cl.** ..... **11-05**
- (52) **U.S. Cl.**  
USPC ..... **D11/166; D6/661.1**
- (58) **Field of Classification Search**  
USPC ..... D6/672, 661.1, 661, 662, 657; D11/44,  
D11/165, 166, 180-183; 206/216;  
312/234; 428/13, 14; D20/16, 17, 27,  
D20/28, 41-43  
CPC ..... G09F 13/00; G09F 15/00; G09F 17/00;  
G09F 19/00; G09F 19/02; G09F 19/12;  
G09F 19/22; G09F 21/00; G09F 23/0066  
See application file for complete search history.

|                |         |           |       |                      |
|----------------|---------|-----------|-------|----------------------|
| D468,708 S *   | 1/2003  | Gray      | ..... | D13/183              |
| 6,562,423 B2 * | 5/2003  | Rubin     | ..... | A47F 3/005<br>40/661 |
| D525,904 S *   | 8/2006  | Killen    | ..... | D11/168              |
| D534,094 S *   | 12/2006 | Trainor   | ..... | D11/81               |
| D580,817 S *   | 11/2008 | Zarzaur   | ..... | D11/157              |
| D637,010 S *   | 5/2011  | Chen      | ..... | D6/303               |
| D666,125 S *   | 8/2012  | Dunn      | ..... | D11/184              |
| D720,559 S *   | 1/2015  | Pitti     | ..... | D6/661               |
| D729,116 S *   | 5/2015  | Riccobono | ..... | D11/165              |
| D754,026 S *   | 4/2016  | Healy     | ..... | D11/133              |
| D785,526 S *   | 5/2017  | Nathan    | ..... | D12/193              |

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — Xavier Marti-Santos  
(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP;  
Gary A. Hecht


(57) **CLAIM**  
The ornamental design for a pennant mount, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a pennant mount showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is left side elevational view thereof;  
FIG. 5 is right side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken lines in the figures illustrate portions of the pennant mount, which form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
3,766,854 A \* 10/1973 Scarlet ..... B41F 17/00  
101/211  
D351,736 S \* 10/1994 Shook ..... D20/40  
D369,042 S \* 4/1996 Kinart ..... D6/661.1  
D371,164 S \* 6/1996 Shane ..... D20/10  
D380,108 S \* 6/1997 Rodack ..... D6/661.1  
D423,794 S \* 5/2000 Brownfield ..... D6/300  
D442,885 S \* 5/2001 Olinger ..... D11/133






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7