

US00D909292S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,292 S**  
**Badie** (45) **Date of Patent:** **\*\* Feb. 2, 2021**

(54) **BATTERY CHARGER**

(71) Applicant: **THALES DEFENSE & SECURITY, INC.**, Clarksburg, MD (US)

(72) Inventor: **Mehrdad Badie**, Gaithersburg, MD (US)

(73) Assignee: **THALES DEFENSE & SECURITY, INC.**, Clarksburg, MD (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/644,250**

(22) Filed: **Apr. 16, 2018**

**Related U.S. Application Data**

(62) Division of application No. 29/566,084, filed on May 26, 2016, now Pat. No. Des. 818,431.

(51) **LOC (13) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/107**

(58) **Field of Classification Search**

USPC ..... D13/102-108, 110, 118-119, 184;  
D14/251, 253, 432, 434  
CPC .. H02J 7/00; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D382,852 S 8/1997 Takahashi  
D414,159 S 9/1999 Deslyper et al.  
D516,021 S 2/2006 Cheng  
D516,502 S 3/2006 Small

D576,546 S \* 9/2008 Yang ..... D13/107  
D594,849 S 6/2009 Ko  
D623,131 S \* 9/2010 Kawakami ..... D13/107  
D632,648 S 2/2011 Yang  
7,923,964 B2 \* 4/2011 Lin ..... H02J 7/0044  
320/107  
D659,091 S \* 5/2012 Sasada ..... D13/107  
D674,748 S 1/2013 Ferber et al.  
D687,768 S \* 8/2013 Minamikawa ..... D13/107

(Continued)

**OTHER PUBLICATIONS**

Universal Battery Charger Lite (UBC-Lite)\_ Thales Defense & Security, Inc, retrieved on Jul. 22, 2019, retrieved from the Internet URL: <https://www.thalesdsi.com/product/ubclite/>.\*

*Primary Examiner* — Catherine S Posthauer

*Assistant Examiner* — Alison M Ofstun

(74) *Attorney, Agent, or Firm* — Arent Fox LLP


(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front left perspective view of a battery charger showing my new design;  
FIG. 2 is a front view of the design shown in FIG. 1;  
FIG. 3 is a rear view of the design shown in FIG. 1;  
FIG. 4 is a left side view of the design shown in FIG. 1;  
FIG. 5 is a right side of the design shown in FIG. 1;  
FIG. 6 is a top view of the design shown in FIG. 1; and,  
FIG. 7 is a bottom view of the design shown in FIG. 1.  
The figures include broken, solid and dash-dot-dash lines. The areas within the solid lines form the claimed design. The dash-dot-dash-lines shown in the figures illustrate an unclaimed boundary of the claimed surfaces and features. The broken lines shown in the figures are included for the purpose of illustrating portions of the battery charger and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**





(56)                   **References Cited**

U.S. PATENT DOCUMENTS

|                 |         |                 |                        |
|-----------------|---------|-----------------|------------------------|
| D705,719 S      | 5/2014  | Wong            |                        |
| 9,041,359 B2 *  | 5/2015  | Ro .....        | H02J 7/0065<br>320/135 |
| D733,043 S      | 6/2015  | Hasbrook et al. |                        |
| 9,153,985 B1    | 10/2015 | Gjovik et al.   |                        |
| D767,487 S *    | 9/2016  | Huang .....     | D13/107                |
| D773,991 S *    | 12/2016 | Liu .....       | D13/107                |
| D780,116 S *    | 2/2017  | Bing .....      | D13/107                |
| D781,832 S      | 3/2017  | Snitko et al.   |                        |
| 9,667,092 B2    | 5/2017  | Miller et al.   |                        |
| D811,997 S *    | 3/2018  | Sha .....       | D13/107                |
| D817,267 S *    | 5/2018  | Vitulli .....   | D13/107                |
| D818,431 S *    | 5/2018  | Badie .....     | D13/107                |
| D819,561 S *    | 6/2018  | Wang .....      | D13/103                |
| 2011/0187324 A1 | 8/2011  | Tan et al.      |                        |

\* cited by examiner






FIG. 1






FIG. 2






FIG. 3






FIG. 4






FIG. 5






FIG. 6






FIG. 7