

US00D909328S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,328 S**
Zhang et al. (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **COMMUNICATION TERMINAL**

(71) Applicant: **YEALINK (XIAMEN) NETWORK TECHNOLOGY CO., LTD.**, Fujian (CN)

(72) Inventors: **Jiancheng Zhang**, Fujian (CN);
Jingfeng Su, Fujian (CN)

(73) Assignee: **YEALINK (XIAMEN) NETWORK TECHNOLOGY CO., LTD.**, Xiamen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/680,629**

(22) Filed: **Feb. 19, 2019**

(30) **Foreign Application Priority Data**

Oct. 19, 2018 (CN) 2018 3 0585136

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/151**

(58) **Field of Classification Search**

USPC ... D14/140, 140.1, 140.7, 140.8, 141.2, 142,
D14/144, 147, 148, 149, 150, 151, 158,
D14/159, 188, 217, 240, 243, 247, 248,
D14/251, 299, 329, 462, 467, 471, 130,
D14/403, 338, 330; D21/517

CPC H04M 1/00; H04M 1/003; H04M 1/02;
H04M 1/0289; H04M 1/0297; H04M
1/0214; H04M 1/03; H04M 1/23; H04M
1/253; H04M 1/2535; H04M 7/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D303,965 S * 10/1989 Helstab D14/142
D306,023 S * 2/1990 Gagnon D14/149

D307,905 S * 5/1990 Helstab D14/149
D345,558 S * 3/1994 Hillenmayer D14/151
D346,384 S * 4/1994 Ford D14/151
D365,560 S * 12/1995 Buchin D14/151
D426,816 S * 6/2000 Lucente D14/336
D550,644 S * 9/2007 Cho D14/151
D574,497 S * 8/2008 Kitamura D24/165
D575,262 S * 8/2008 Brown D14/151
D575,263 S * 8/2008 Brown D14/151
D576,146 S * 9/2008 Brown D14/151
D616,843 S * 6/2010 Jones D14/130

(Continued)

OTHER PUBLICATIONS

Communications Equipment. (Design—© Questel) orbit.com. [online PDF] 39 pgs. Print Dates Range Feb. 4, 2019 through Oct. 11, 2019 [Oct. 19, 2020] <https://www.orbit.com/export/QPTUJ214/pdf2/cd956ff4-b1c5-4cc6-b26d-003c82b208fe-002318.pdf>.*

Primary Examiner — Marie D. Fast Horse

(57) **CLAIM**


The ornamental design for a communication terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a communication terminal showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front and right side perspective view thereof; and,
FIG. 8 is a bottom, rear and left side perspective view thereof.

The broken lines in the drawings illustrate portions of the communication terminal which form no part of the claimed design. The oblique shade lines in the drawings represent a reflective surface.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D652,816	S *	1/2012	Compoginis	D14/151
D653,646	S *	2/2012	Hovdal	D14/142
D658,627	S *	5/2012	Katori	D14/142
D675,592	S *	2/2013	Fuxen	D14/151
D686,183	S *	7/2013	Basart	D14/151
D686,184	S *	7/2013	Takahata	D14/151
D738,845	S *	9/2015	Kwak	D14/151
D784,283	S *	4/2017	Snyder	D14/144
9,762,709	B1 *	9/2017	Snyder	1/295
D851,617	S *	6/2019	Rodriguez	D14/151
D864,143	S *	10/2019	Katori	D14/151
10,587,951	B1 *	3/2020	Schaffer	H04R 1/345
D893,443	S *	8/2020	Rodriguez	D14/142
D899,394	S *	10/2020	Yang	D14/150
2009/0161862	A1 *	6/2009	Yoshida	H04M 1/12
				379/436
2017/0180525	A1 *	6/2017	Kuo	H04M 1/21
2019/0281147	A1 *	9/2019	Sherburne	H04M 1/04
2019/0312963	A1 *	10/2019	Kuo	H04M 1/21

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8