

US00D909354S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,354 S**
Zheng et al. (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **SENSING BOX**

(71) Applicant: **ADVANCED NEW TECHNOLOGIES CO., LTD.**, Grand Cayman (KY)

(72) Inventors: **Kunkun Zheng**, Hangzhou (CN); **Le Zhou**, Hangzhou (CN)

(73) Assignee: **ADVANCED NEW TECHNOLOGIES CO., LTD.**, Grand Cayman (KY)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,273**

(22) Filed: **Jun. 18, 2019**

(30) **Foreign Application Priority Data**

Dec. 21, 2018 (CN) 2018 3 0747117

(51) **LOC (13) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/240**

(58) **Field of Classification Search**
USPC D14/240, 242, 357, 358, 140-140.9, 155, D14/125, 137, 139, 243, 348, 349, 351, D14/354, 355, 433
CPC H04L 12/00; H03K 17/00; H04W 88/00; H04W 88/005; H04W 88/02; H04W 88/08; H04W 88/085; H04W 88/10; H04W 88/12; H04W 88/14; H04B 1/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|-----------|
| D324,046 S * | 2/1992 | Yoneyama | | D14/142 |
| D669,059 S * | 10/2012 | Huang | | D14/240 |
| D669,455 S * | 10/2012 | Huang | | D14/240 |
| D671,116 S * | 11/2012 | Phillips | | D14/356 |
| D704,176 S * | 5/2014 | Kwak | | D14/240 |
| D705,762 S * | 5/2014 | Yu | | D14/240 |
| D768,608 S * | 10/2016 | Moon | | D14/240 |
| D784,948 S * | 4/2017 | Brown, III | | D14/138 G |
| D789,339 S * | 6/2017 | Tang | | D14/240 |
| D839,273 S * | 1/2019 | He | | D14/435.1 |
| D844,594 S * | 4/2019 | Karakasiliotis | | D14/240 |
| D853,368 S * | 7/2019 | Uchida | | D14/240 |
| D870,059 S * | 12/2019 | Zhang | | D14/125 |

* cited by examiner

Primary Examiner — Bridget L Eland


(57) **CLAIM**

The ornamental design for a sensing box, as shown and described.

DESCRIPTION

FIG. 1 is a front view showing a sensing box;
FIG. 2 is a rear view thereof;
FIG. 3 is a left-side view thereof;
FIG. 4 is a right-side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof; and,
FIG. 7 is a front-right perspective view thereof.
The broken lines in FIGS. 1-7 illustrate portions of the sensing box that are not part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : D909,354 S
APPLICATION NO. : 29/695273
DATED : February 2, 2021
INVENTOR(S) : Kunkun Zheng et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (30) Foreign Application Priority Data “2018 3 0747117” should read -- 201830747117.5 --.

Signed and Sealed this
Twenty-first Day of March, 2023

Katherine Kelly Vidal
Director of the United States Patent and Trademark Office