

US00D909364S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,364 S**
Byrd et al. (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **SERVER DEVICE**

(71) Applicant: **Dolby Laboratories Licensing Corporation**, San Francisco, CA (US)

(72) Inventors: **Grayson H. Byrd**, San Francisco, CA (US); **Andrew Healy**, San Francisco, CA (US); **Gregory J. Long**, Santa Clara, CA (US); **Peter Michaelian**, Tappan, NY (US); **Cody Michael Proksa**, San Francisco, CA (US); **Marcelo Traverso M.**, San Jose, CA (US); **Erich Hubert Vogel**, Oakland, CA (US); **Vince Voron**, Menlo Park, CA (US)

(73) Assignee: **DOLBY LABORATORIES LICENSING CORPORATION**, San Francisco, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/713,449**

(22) Filed: **Nov. 15, 2019**

Related U.S. Application Data

(63) Continuation of application No. 29/586,410, filed on Dec. 2, 2016, now Pat. No. Des. 867,358.

(51) **LOC (13) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/301**

(58) **Field of Classification Search**
USPC D14/137, 167, 171, 188, 204, 301, 308, D14/327, 496; D17/99

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D329,641 S * 9/1992 Goff D14/313
D441,375 S * 5/2001 Hisatsune D14/125

(Continued)

Primary Examiner — R. Johnson

(74) *Attorney, Agent, or Firm* — McAndrews, Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for a server device, as shown and described.

DESCRIPTION

The patent file contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a top front perspective view of a first embodiment of a server device showing our new design in a non-illuminated state;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front perspective view of a second embodiment of a server device showing our new design in an illuminated state;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a rear elevation view thereof;

FIG. 11 is a right side elevation view thereof;


FIG. 12 is a left side elevation view thereof;

FIG. 13 is a top plan view thereof; and,

FIG. 14 is a bottom plan view thereof.

The dashed broken lines in the drawings illustrate portions of the server device that form no part of the claimed design. The blue coloring illustrates the glowing visual effect created by light emanating from the array of light-emitting diodes and from around the circular button, and reflecting off the curved inner front surface, in the embodiment of the server device shown in FIGS. 8-14.

1 Claim, 10 Drawing Sheets
(10 of 10 Drawing Sheet(s) Filed in Color)



(58) **Field of Classification Search**

CPC .. H04R 1/02; H04R 1/023; H04R 5/00; H03F
3/20; H04Q 1/028; H05K 7/1427; H05K
7/1485; H05K 7/1488; H05K 5/00; G10K
9/22; G06F 1/181

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D525,969 S	8/2006	Sugihara et al.	
D553,616 S	10/2007	Tosh et al.	
D558,194 S	12/2007	Divine et al.	
D564,510 S	3/2008	Cox et al.	
D585,440 S	1/2009	Alfonso et al.	
D585,441 S	1/2009	Alfonso et al.	
D688,227 S	8/2013	Lee	
D761,247 S	7/2016	Otsuka	
D795,244 S	8/2017	Zimmermann	
D795,877 S	8/2017	Barron et al.	
D839,355 S *	1/2019	Christie	D21/332
D844,578 S *	4/2019	Seflic	D14/125
D863,250 S *	10/2019	Liu	D14/188
D867,358 S *	11/2019	Byrd	D14/301
D871,390 S *	12/2019	M.	D14/313

* cited by examiner



FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14