



US00D909524S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,524 S**
Lian (45) **Date of Patent:** **** Feb. 2, 2021**

(54) **TENNIS TRAINER**
(71) Applicant: **Shupeng Lian**, Chaozhou (CN)
(72) Inventor: **Shupeng Lian**, Chaozhou (CN)
(**) Term: **15 Years**
(21) Appl. No.: **29/741,360**
(22) Filed: **Jul. 13, 2020**
(51) **LOC (13) Cl.** **21-02**
(52) **U.S. Cl.**
USPC **D21/799.1**; D21/719
(58) **Field of Classification Search**
USPC D21/309, 455, 466, 698, 707-709, 713,
D21/719, 780, 789-791, 799.1, 799.2;
D30/160; 473/417, 422, 423-430, 451,
473/458, 459, 462, 464, 506, 508, 575,
473/576, 615; 273/330, 335; 119/707,
119/708; 446/247
CPC A63B 43/00; A63B 43/02; A63B 43/007;
A63B 2043/001; A63B 57/10; A63B
57/20; A63B 57/203; A63B 61/02; A63B
63/00; A63B 63/003; A63B 2063/001;
A63B 65/00; A63B 69/00; A63B
69/0015; A63B 69/0073; A63B 69/0075;
A63B 69/0079; A63B 69/0084; A63B
69/0097; A63B 69/38; A63B 69/385;
A63B 69/40; A63B 2069/0004; A63B
2069/0006; A63B 2069/0008; A63B
2069/0015; A63B 2069/008; A63B 71/00;
A63B 71/023; A63B 771/028; A63B
71/03; A63B 2071/026; A63B 2102/02;
A63B 2102/18; A63B 2102/182; A63B
2102/184; A01K 15/025; A63F 9/0278;
A63H 33/18
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,925,274 A * 2/1960 Newhart A63B 69/0084
473/428
3,498,613 A * 3/1970 Dreyer A63B 69/0079
473/575

3,550,938 A * 12/1970 Cunningham, Jr. ... A63B 69/40
473/429
3,685,827 A * 8/1972 Petrussek A63B 67/10
473/508
3,738,052 A * 6/1973 Kelly A63H 33/00
446/247
D234,783 S * 4/1975 Conde D21/705
3,918,712 A * 11/1975 Fey A63B 69/0079
473/575
D242,053 S * 10/1976 Coons D4/199
D247,387 S * 2/1978 Spivey, II D21/466
4,095,787 A * 6/1978 Saferstein A63B 69/0079
473/423

(Continued)

FOREIGN PATENT DOCUMENTS

EM 002187112-0003 * 3/2013

Primary Examiner — Catherine A Tuttle
(74) *Attorney, Agent, or Firm* — ZANIP

(57) **CLAIM**

The ornamental design for a tennis trainer, as shown and described.

DESCRIPTION

FIG. 1 is a front and top perspective view of a tennis trainer, showing my new design;
FIG. 2 is a rear and bottom perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines in the figures illustrate portions of the article that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,129,110 A * 12/1978 Kubrak A63B 57/405
124/16
4,174,107 A * 11/1979 Hickey A63B 69/0079
220/375
4,180,262 A * 12/1979 Gabrielidis A63B 69/385
473/464
D254,019 S * 1/1980 Fordon D21/799.1
D258,832 S * 4/1981 Meadows D21/707
4,270,757 A * 6/1981 Ligon A63B 69/0079
473/465
4,927,154 A * 5/1990 Boyer A63B 69/0079
273/DIG. 21
D338,987 S * 8/1993 Eroyan D30/160
D404,992 S * 2/1999 Sittig D8/374
D539,366 S * 3/2007 Niksich D21/707
7,749,110 B2 * 7/2010 Bozof A63B 69/38
473/424
D838,330 S 1/2019 Hofmeyr et al.
2004/0110609 A1 * 6/2004 Huang A63B 22/18
482/121
2004/0198137 A1 * 10/2004 Ruiz A63H 33/18
446/46
2009/0291614 A1 * 11/2009 Tu A63H 33/18
446/46
2010/0130312 A1 * 5/2010 Fuentes A63B 69/0079
473/429
2017/0136334 A1 * 5/2017 Manzano Santaella
A63B 71/0686

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8