



US00D909746S

(12) **United States Design Patent** (10) **Patent No.:** **US D909,746 S**
Albay et al. (45) **Date of Patent:** **** Feb. 9, 2021**

(54) **TRAVEL CASE FOR ELECTRIC TOOTHBRUSH**

D794,945 S * 8/2017 Chung D3/205
D866,164 S * 11/2019 Chen D3/205
D887,127 S * 6/2020 Kauffman D3/201

(71) Applicant: **Braun GmbH**, Kronberg (DE)

* cited by examiner

(72) Inventors: **Devran Albay**, Frankfurt (DE); **Moritz Carlo Honisch**, Frankfurt (DE); **Dominik Langhammer**, Frankfurt (DE); **Rüdiger Charles Boss, Jr.**, Frankfurt (DE)

Primary Examiner — Charles D Hanson
(74) *Attorney, Agent, or Firm* — Vladimir Vitenberg

(73) Assignee: **Braun GmbH**, Kronberg (DE)

(57) **CLAIM**

The ornamental design for a travel case for electric toothbrush, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/688,181**

(22) Filed: **Apr. 18, 2019**

(30) **Foreign Application Priority Data**

Oct. 22, 2018 (WO) 76473

(51) **LOC (13) Cl.** **03-03**

(52) **U.S. Cl.**
USPC **D3/205**

(58) **Field of Classification Search**
USPC D3/205, 206
CPC A45C 11/00; A45C 11/008; A45C 11/26;
A45C 2011/007; A45C 9/00; A45D 44/18
See application file for complete search history.


FIG. 1 is a perspective view of a travel case for electric toothbrush in opened position;
FIG. 2 is a front view thereof;
FIG. 3 is a right-side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left-side view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view thereof in closed position;
FIG. 9 is a right-side view of the travel case shown in FIG. 8;
FIG. 10 is a left-side view of the travel case shown in FIG. 8.
FIG. 11 is a perspective view of a travel case for electric toothbrush in opened position;
FIG. 12 is a front view thereof;
FIG. 13 is a right-side view thereof;
FIG. 14 is a rear view thereof;
FIG. 15 is a left-side view thereof;
FIG. 16 is a top plan view thereof;
FIG. 17 is a bottom view thereof;
FIG. 18 is a perspective view thereof in closed position;
FIG. 19 is a right-side view of the travel case shown in FIG. 18; and,
FIG. 20 is a left-side view of the travel case shown in of FIG. 18.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D397,547 S * 9/1998 Goodwin D3/201
D501,714 S * 2/2005 Trybus D3/205
D506,309 S * 6/2005 Young D3/203.8
D529,711 S * 10/2006 Shamoon D3/206
D641,971 S * 7/2011 Shibata D3/206
D655,864 S * 3/2012 Zeitouny D28/59
D682,538 S * 5/2013 Rollo D3/205
D731,784 S * 6/2015 McGarry D3/205

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20