



US00D909871S

(12) **United States Design Patent**  
**Enemark**

(10) **Patent No.:** **US D909,871 S**

(45) **Date of Patent:** **\*\* Feb. 9, 2021**

- (54) **CONTAINER CLOSURE HAVING TAMPER-EVIDENCE AND CAP**
- (71) Applicant: **Elopak AS**, Spikkestad (NO)
- (72) Inventor: **Frode Enemark**, Silkeborg (DK)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **35/507,091**

D666,495 S *	9/2012	Biesecker	.....	D9/445
D704,067 S *	5/2014	Scott	.....	D9/449
D723,370 S *	3/2015	Medlin	.....	D9/453
D762,115 S *	7/2016	Corvaglia	.....	D9/443
D789,201 S *	6/2017	Yu	.....	D9/453
D792,219 S *	7/2017	Bueno Nunez	.....	D9/453
D797,557 S *	9/2017	Ziccardi	.....	D9/443
D824,257 S *	7/2018	Wood	.....	D9/453
D830,828 S *	10/2018	Weil	.....	D9/503

(Continued)

- (22) Filed: **Sep. 14, 2018**
- (80) **Hague Agreement Data**

Int. Filing Date: **Sep. 14, 2018**  
 Int. Reg. No.: **DM/201912**  
 Int. Reg. Date: **Sep. 14, 2018**  
 Int. Reg. Pub. Date: **Jul. 19, 2019**

- (51) **LOC (13) Cl.** ..... **09-07**
- (52) **U.S. Cl.**  
USPC ..... **D9/453**

- (58) **Field of Classification Search**  
USPC ..... D7/392.1, 396.2; D9/434-436, 440, 443, D9/447, 499, 453  
CPC .... B65D 41/00; B65D 41/0457; B65D 41/34; B65B 7/28  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D465,731 S *	11/2002	Brant	.....	D9/453
D481,314 S *	10/2003	Noonan	.....	D9/438
D518,717 S *	4/2006	German	.....	D9/453
D583,234 S *	12/2008	Lohrman	.....	D9/449
D583,237 S *	12/2008	Fuchs	.....	D9/453
D586,213 S *	2/2009	Wells	.....	D9/453
D587,115 S *	2/2009	Capretta	.....	D9/434
D592,057 S *	5/2009	Guerin	.....	D9/449
D632,958 S *	2/2011	Fuchs	.....	D9/453
D634,199 S *	3/2011	Taber	.....	D9/453
D634,200 S *	3/2011	Taber	.....	D9/453

OTHER PUBLICATIONS

Elopak. Filling Has Never Been More Flexible. Feb. 21, 2019. <https://elopak-hotspots.de/en/einzigartig-flexibel-natuerlich-elopak> (Year: 2019).\*

*Primary Examiner* — Darcey E Gottschalk



(57) **CLAIM**

I claim ornamental design for a container closure having tamper-evidence and a cap, as shown and described.

**DESCRIPTION**

1.-3. Container closure having tamper-evidence and cap  
**1.1** is a perspective view of a first embodiment of a container closure having temper-evidence and a cap in a closed condition;  
**1.2** is another perspective view thereof in an open condition;  
**2.1** is a perspective view of a second embodiment of a container closure having temper-evidence and a cap in a closed condition;  
**2.2** is another perspective view thereof in an open condition;  
**3.1** is a perspective view of a third embodiment of a container closure having temper-evidence and a cap in a closed condition; and  
**3.2** is another perspective view thereof in an open condition.  
 The shapes shown in solid black color in the reproductions **1.1** to **1.2**, **2.1** to **2.2**, and **3.1** to **3.2** represent surface treatment of the claimed design.

**1 Claim, 3 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

D836,442 S \* 12/2018 Wood ..... D9/453  
D838,171 S \* 1/2019 Wood ..... D9/453  
D863,963 S \* 10/2019 Berroa Garcia ..... D9/453  
D869,274 S \* 12/2019 Kim ..... D9/453  
D871,905 S \* 1/2020 Kim ..... B65D 41/3428  
D9/453  
D872,521 S \* 1/2020 Sitwell ..... D7/392.1  
D873,605 S \* 1/2020 Lindsay ..... D7/392.1  
D874,276 S \* 2/2020 Byron ..... D9/453  
2016/0332783 A1 \* 11/2016 Kim ..... B65D 41/3428

\* cited by examiner




1.1




1.2







2.1



2.2



3.1



3.2