



US00D910188S

(12) **United States Design Patent** (10) **Patent No.:** **US D910,188 S**
Murray et al. (45) **Date of Patent:** **** Feb. 9, 2021**

(54) **ULTRASONIC TRANSDUCER SUPPORT**

(71) Applicant: **Rubicon Research Pty Ltd**, Hawthorn East (AU)

(72) Inventors: **Peter Murray**, Emerald (AU); **Marius Catalin Catrina**, Southbank (AU); **David John Aughton**, Hawthorn East (AU)

(73) Assignee: **RUBICON RESEARCH PTY LTD**, Hawthorn East (AU)

(**) Term: **15 Years**

(21) Appl. No.: **29/659,557**

(22) Filed: **Aug. 9, 2018**

(30) **Foreign Application Priority Data**

Feb. 9, 2018 (AU) 201810800

Feb. 9, 2018 (AU) 201810801

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/133, 137, 138, 141, 158, 160, 164,
D24/165, 167, 170, 186, 187, 200;
D10/57, 60, 78, 80
CPC A61B 5/0095; A61B 8/4444; G01S 7/5208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D240,276 S * 6/1976 Cartnell et al. D24/187
D609,812 S * 2/2010 Shibata D24/165
D651,716 S * 1/2012 Shibata D24/165
D654,592 S * 2/2012 Kawasaki D24/165

D693,927 S * 11/2013 Wilson D24/167
D700,341 S * 2/2014 Uozumi D24/165
D738,233 S * 9/2015 Repp D10/57
D740,930 S * 10/2015 Pipe D24/108
D746,468 S * 12/2015 Meadows D24/106
D753,311 S * 4/2016 Long D24/186
D777,924 S * 1/2017 Ogihara D24/165
D794,198 S * 8/2017 Mizumura D24/158
D835,272 S * 12/2018 Heni D24/138
D847,955 S * 5/2019 Daniels D23/262
D850,622 S * 6/2019 Noguchi D24/165

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Steven M. Koehler;
Westman, Champlin & Koehler, P.A.

(57) **CLAIM**

The ornamental design for an ultrasonic transducer support,
as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an embodiment of an ultrasonic transducer support.

FIG. 2 is a top view of the embodiment of FIG. 1;

FIG. 3 is a front view of the embodiment of FIG. 1;

FIG. 4 is a rear view of the embodiment of FIG. 1;

FIG. 5 is a left side view of the embodiment of FIG. 1

FIG. 6 is a right side view of the embodiment of FIG. 1;

FIG. 7 is a front perspective view of a second embodiment of an ultrasonic transducer support.

FIG. 8 is a top view of the embodiment of FIG. 7;



FIG. 9 is a front view of the embodiment of FIG. 7;

FIG. 10 is a rear view of the embodiment of FIG. 7;

FIG. 11 is a left side view of the embodiment of FIG. 7; and,

FIG. 12 is a right side view of the embodiment of FIG. 7.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12