



US00D910265S

(12) **United States Design Patent**
Furca

(10) **Patent No.:** **US D910,265 S**

(45) **Date of Patent:** **** Feb. 9, 2021**

- (54) **THIMBLE TOOL**
- (71) Applicant: **Kenneth Furca**, Bushnell, FL (US)
- (72) Inventor: **Kenneth Furca**, Bushnell, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/702,476**
- (22) Filed: **Aug. 20, 2019**
- (51) **LOC (13) Cl.** **12-05**
- (52) **U.S. Cl.**
USPC **D34/35**
- (58) **Field of Classification Search**
USPC D34/35; D8/33; D21/662
CPC B66C 1/12; B66C 1/10; B66C 1/14; B66C
1/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,310,333 A * 3/1967 Hutson F16G 11/02
294/82.11
- 4,564,230 A * 1/1986 Haist B60J 5/108
16/413
- 4,653,792 A * 3/1987 Sword F16G 15/04
294/74
- 4,899,694 A * 2/1990 Belluomini A01K 27/003
119/771
- 4,971,345 A * 11/1990 Braun B62H 5/006
24/115 A
- D370,401 S * 6/1996 Minkin D8/333
- 5,595,411 A * 1/1997 Delisle B66C 1/12
294/74
- 6,003,348 A * 12/1999 McCrea E05B 73/0005
70/18
- D424,638 S * 5/2000 Urso D21/662
- 6,095,094 A * 8/2000 Phillips A01K 27/001
119/792
- D645,919 S * 9/2011 Kassel D21/694

- 8,544,912 B1 * 10/2013 Matthews B66C 1/12
294/74
- 8,966,737 B2 * 3/2015 Rohland B21F 15/06
29/517
- D738,703 S * 9/2015 Thomson D8/333
- 9,469,509 B1 * 10/2016 Myers B66C 1/10
- D786,046 S * 5/2017 MacK D8/333
- D795,042 S * 8/2017 Burns D8/333
- 9,770,640 B1 * 9/2017 Kurz A63B 71/022
- D804,270 S * 12/2017 Huang D8/71
- 10,322,911 B2 * 6/2019 Vincenti B66D 3/16
- 10,633,223 B1 * 4/2020 Cain B66C 1/10
- 2007/0063522 A1 * 3/2007 Byrne B66C 1/12
294/74
- 2008/0276664 A1 * 11/2008 Shu E05B 67/003
70/18

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Larson & Larson, P.A.;
Justin P. Miller; Frank Liebenow


(57) **CLAIM**

I claim the ornamental design for a thimble tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a thimble tool showing my new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a back elevation thereof;
 FIG. 4 is a left-side elevation view thereof;
 FIG. 5 is a right-side elevation view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof; and,
 FIG. 8 is a perspective view thereof, showing the thimble tool in use.
 The broken lines indicating a hook, ratchet, and line are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0186538 A1* 7/2012 Newton A01K 27/003
119/795
2013/0134725 A1* 5/2013 Gaibler B21L 5/00
294/82.11
2015/0068841 A1* 3/2015 Miousse E04G 3/30
182/150
2019/0062123 A1* 2/2019 Vincenti B66C 1/14

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 5



FIG. 4



FIG. 6



FIG. 7




FIG. 8