



US00D910289S

(12) **United States Design Patent**
Bramani

(10) **Patent No.:** **US D910,289 S**

(45) **Date of Patent:** **** Feb. 16, 2021**

(54) **SHOE SOLE**

(71) Applicant: **Vibram S.p.A.**, Albizzate (IT)

(72) Inventor: **Marco Bramani**, Milan (IT)

(73) Assignee: **VIBRAM S.P.A.**, Albizzate (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/672,378**

(22) Filed: **Dec. 5, 2018**

(51) **LOC (13) Cl.** **02-04**

(52) **U.S. Cl.**

USPC **D2/947**; D2/959

(58) **Field of Classification Search**

USPC D2/896, 902, 903, 905, 907, 908, 916,
D2/917, 918, 919, 925, 929, 935, 939,
D2/943, 944, 946, 947, 950, 951, 953,
D2/957, 958, 959, 960, 962, 968

CPC A43B 1/00; A43B 1/10; A43B 1/12; A43B
1/14; A43B 3/00; A43B 3/10; A43B
3/101; A43B 3/103; A43B 3/105; A43B
3/106; A43B 3/107; A43B 3/12; A43B
3/122; A43B 3/124; A43B 3/126; A43B
5/00; A43B 5/001; A43B 5/002; A43B
5/003; A43B 5/06; A43B 5/08; A43B
5/12; A43B 5/14; A43B 5/18; A43B
5/185; A43B 13/00; A43B 13/02; A43B
13/04; A43B 13/14; A43B 13/141; A43B
13/22

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,894,561 A * 1/1933 Guiffre A43B 3/124
36/11.5
3,002,297 A * 10/1961 Neilson A43B 3/124
36/11.5
D313,111 S * 12/1990 McKinstry D2/962

D497,706 S * 11/2004 Belley D2/953
7,103,993 B2 * 9/2006 Sakai A43B 3/122
36/11.5
D560,344 S * 1/2008 Belley D2/916
D566,930 S * 4/2008 Liow D2/916
D628,372 S * 12/2010 Bell D2/962
D670,491 S * 11/2012 Ko D2/962
D741,588 S * 10/2015 Weeks D2/959
D770,745 S * 11/2016 Ke D2/962
D804,785 S * 12/2017 Ringholz D2/916
D807,619 S * 1/2018 Halmaghi D2/916
D848,131 S * 5/2019 Moranges D2/957
D852,472 S * 7/2019 Sherman D2/916

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Tutunjian & Bitetto, P.C.

(57) **CLAIM**


The ornamental design for a shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a shoe sole in a closed position, showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a front perspective view of the shoe sole of FIG. 1 in an opened position, showing my new design;
FIG. 9 is a front view of the shoe sole of FIG. 8;
FIG. 10 is a rear view of the shoe sole of FIG. 8;
FIG. 11 is a right side view of the shoe sole of FIG. 8;
FIG. 12 is a left side view of the shoe sole of FIG. 8;
FIG. 13 is a bottom view of the shoe sole of FIG. 8; and
FIG. 14 is a top view of the shoe sole of FIG. 8.

The broken lines shown in the drawings form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D883,634 S * 5/2020 Xanthos D2/959
D890,479 S * 7/2020 Wood D2/916

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14