



US00D910413S

(12) **United States Design Patent** (10) **Patent No.:** **US D910,413 S**
Spray et al. (45) **Date of Patent:** **** Feb. 16, 2021**

(54) **HANDLE FOR A COVERING FOR AN ARCHITECTURAL OPENING**

(71) Applicant: **Hunter Douglas Inc.**, Pearl River, NY (US)

(72) Inventors: **Jeffrey L. Spray**, Erie, CO (US); **Fred Bould**, Menlo Park, CA (US); **Kwan Hon Anson Cheung**, San Francisco, CA (US)

(73) Assignee: **Hunter douglas Inc.**, Pearl River, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/676,684**

(22) Filed: **Jan. 14, 2019**

Related U.S. Application Data

(62) Division of application No. 29/554,911, filed on Feb. 17, 2016, now Pat. No. Des. 842,677.

(51) **LOC (13) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/313**

(58) **Field of Classification Search**

USPC D8/300–302, 306–308, 313–314;
D23/250, 252

CPC . Y10T 292/57; Y10T 16/44; Y10T 74/20732;
Y10T 16/458; Y10T 70/5765; Y10T
70/5155; Y10T 70/5832; Y10T 70/5889;
Y10T 16/469; Y10T 70/5757; Y10T
292/03; Y10T 74/20396; Y10T 16/4628;
Y10T 74/20864; Y10T 74/2042; Y10T
16/459; Y10T 74/20828; Y10T 292/0971;
Y10T 292/0994; Y10T 292/0974; Y10T
74/20582; Y10T 16/509; Y10T 292/108;
Y10T 292/1059; Y10T 292/097; Y10T
74/2066; Y10T 292/1015; Y10T
292/0839; Y10T 292/102; Y10T 70/5743;
Y10T 292/1022; Y10T 16/462; Y10T

70/5562; Y10T 137/6024; Y10T
292/0949; Y10T 292/1053; Y10T 70/569;
Y10T 292/0837; Y10T 292/0932; Y10T
292/1075; Y10T 292/0844; Y10T
292/0806; Y10T 70/7305; Y10T
292/0917; Y10T 70/5389; Y10T
292/0857; Y10T 292/1041; Y10S 292/27;
Y10S 16/30; Y10S

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D429,140 S * 8/2000 Schacht D8/314
6,598,913 B2 * 7/2003 Meinke E05B 85/107
292/336.3

(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**



We claim the ornamental design for a handle for a covering for an architectural opening, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a handle for a covering for an architectural opening in accordance with the present design. FIG. 2 is a front elevation view thereof. FIG. 3 is a rear elevation view thereof. FIG. 4 is a right side elevation view thereof. FIG. 5 is a left side elevation view thereof. FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

The dash-dash broken lines illustrate features of the handle for a covering for an architectural opening that form no part of the claimed design. The dash-dot-dash broken lines illustrate a boundary between claimed features and non-claimed features.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC 292/31; Y10S 292/23; Y10S 292/53; Y10S
292/30; E05B 85/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D572,997	S	*	7/2008	Gulley	D8/302
D584,128	S	*	1/2009	Ricereto	D8/313
D589,325	S	*	3/2009	Mattson	D8/313
D597,394	S	*	8/2009	Menzies	D8/313
D616,721	S	*	6/2010	Glass	D8/313
D627,620	S	*	11/2010	Jou	D8/313
D628,802	S	*	12/2010	Kraemer	D3/318
D651,221	S	*	12/2011	Voron	D15/89
D681,374	S	*	5/2013	Gasser	D6/716
D758,759	S	*	6/2016	Anderson	D6/580
D761,189	S	*	7/2016	Fulford	D12/345
D842,677	S	*	3/2019	Spray	D8/313
2012/0068482	A1	*	3/2012	Takada	E05C 1/145 292/336.3

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7