



US00D910552S

(12) **United States Design Patent** (10) **Patent No.:** **US D910,552 S**
Hu (45) **Date of Patent:** **** Feb. 16, 2021**

(54) **BATTERY CHARGER**

(71) Applicant: **Shenzhen Jiuniuhai Technology Co., Ltd.**, Shenzhen (CN)

(72) Inventor: **Yibo Hu**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/740,092**

(22) Filed: **Jul. 1, 2020**

(30) **Foreign Application Priority Data**

Mar. 10, 2020 (EM) 007743117

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/103, 107-110, 118-119, 184, 199
CPC H01M 2/02; H01M 2/0202; H02J 7/0026;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0013; H02J 7/0003; H02J 50/00;
H02J 50/10; H02J 50/12; H02J 50/80;
H02J 7/025; H02J 7/005; H02J 7/00;
H01R 25/00; H01R 25/03; H01R 27/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,019,767 A * 5/1991 Shirai H01M 2/105
320/112
- 5,847,541 A * 12/1998 Hahn H01R 27/00
320/111
- D537,410 S * 2/2007 Yuen D13/110
- D575,225 S * 8/2008 Ahlgren D13/107
- D575,228 S * 8/2008 So D13/110
- D581,356 S * 11/2008 Ahlgren D13/107
- D617,267 S * 6/2010 Li D13/107

- D624,013 S * 9/2010 Lingott D13/107
- D624,014 S * 9/2010 Lingott D13/107
- D654,854 S * 2/2012 Inskeep D13/107
- D654,867 S * 2/2012 Huppe D13/110
- D696,188 S * 12/2013 Loeck D13/108
- D744,942 S * 12/2015 Bates D13/107
- D744,943 S * 12/2015 Bates D13/107
- D755,121 S * 5/2016 Barajas D13/107
- D788,032 S * 5/2017 Yang D13/107
- D793,955 S * 8/2017 Yang D13/107
- D796,431 S 9/2017 Lau et al.
- D814,406 S * 4/2018 Yang D13/107
- D814,407 S * 4/2018 Yang D13/107
- D814,408 S * 4/2018 Yang D13/107
- D814,409 S * 4/2018 Yang D13/107
- D816,024 S * 4/2018 Yang D13/107
- D859,305 S * 9/2019 Barajas D13/107

* cited by examiner

Primary Examiner — Rosemary K Tarcza
(74) *Attorney, Agent, or Firm* — HYIP


(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a battery charger showing my new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof
FIG. 4 is a back view thereof
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines shown in the drawings depict portions of the battery charger in which the design is embodied that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8