

US00D910727S

(12)

United States Design Patent

Tafe et al.

(10)

Patent No.:

US D910,727 S

(45)

Date of Patent:

\*\* Feb. 16, 2021

(54) CATCH CAN FOR AUTOMOTIVE APPLICATIONS

(71) Applicant: Resource International Inc., New Castle, DE (US)

(72) Inventors: Dan Tafe, Newark, DE (US); Kevin McCardle, Philadelphia, PA (US)

(73) Assignee: Resource International Inc., New Castle, DE (US)

(\*\*) Term: 15 Years

(21) Appl. No.: 29/720,199

(22) Filed: Jan. 10, 2020

(51) LOC (13) Cl. 15-09

(52) U.S. Cl. D15/150

(58) Field of Classification Search

USPC D15/150, 151, 152; D23/209, 211

CPC F01M 9/00; F01M 9/06; F01M 9/002

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

1,506,028 A \* 8/1924 Perritt F16N 31/002 184/1.5

1,990,524 A \* 2/1935 Bystricky F16N 5/00 138/34

D129,867 S \* 10/1941 Dunmire D15/150

D145,692 S \* 10/1946 Fitzpatrick D15/151

D232,976 S \* 9/1974 Ruter D15/5

D264,614 S \* 5/1982 Johnson, Sr. D23/209

D280,757 S \* 9/1985 Paulovich D23/207

4,702,290 A \* 10/1987 Perez B67D 7/00 141/332

4,775,067 A \* 10/1988 Mount B65D 25/00 137/312

D307,913 S \* 5/1990 Ogasawara D15/150

D309,974 S \* 8/1990 Tannous D23/209

D311,239 S \* 10/1990 Lundquist D23/209

D317,315 S \* 6/1991 Miyake D15/150

D332,300 S \* 1/1993 Eastom D23/211.2

D337,594 S \* 7/1993 Strauch D15/152

D337,774 S \* 7/1993 Schillinger D15/150

5,486,290 A \* 1/1996 McGinness B01D 29/072 210/323.2

D374,447 S \* 10/1996 Brewer D15/150

D379,097 S \* 5/1997 Brewer D15/150

5,634,502 A \* 6/1997 Pierce F01M 11/04 141/331

D396,868 S \* 8/1998 Pingel D15/151

D422,914 S \* 4/2000 Lasky D9/451

D438,932 S \* 3/2001 McKinney D23/207

D460,146 S \* 7/2002 Setser D23/209

D510,587 S \* 10/2005 Tigerholm D15/150

D518,555 S \* 4/2006 De Muro, Jr. D23/209

D539,822 S \* 4/2007 Tseng D15/150

(Continued)

Primary Examiner — Patricia A Palasik

(74) Attorney, Agent, or Firm — Dunlap Bennett & Ludwig, PLLC; Brendan E. Squire

(57) CLAIM

The ornamental design for a catch can for automotive applications, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a catch can showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a right side elevation view thereof;


FIG. 5 is a left side elevation view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in the drawings illustrate portions of the catch can that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)                      **References Cited**

U.S. PATENT DOCUMENTS

|          |   |   |         |           |       |            |
|----------|---|---|---------|-----------|-------|------------|
| D562,429 | S | * | 2/2008  | Morris    | ..... | B01D 27/06 |
|          |   |   |         |           |       | D23/209    |
| D621,001 | S | * | 8/2010  | Maziel    | ..... | D23/209    |
| D638,042 | S | * | 5/2011  | Liao      | ..... | D15/152    |
| D650,402 | S | * | 12/2011 | Yamase    | ..... | D15/150    |
| D650,403 | S | * | 12/2011 | Yamase    | ..... | D15/150    |
| D717,913 | S | * | 11/2014 | Lin       | ..... | D15/152    |
| D727,462 | S | * | 4/2015  | Antonucci | ..... | D23/209    |
| D728,069 | S | * | 4/2015  | Moore     | ..... | D23/209    |
| D817,440 | S | * | 5/2018  | Lossie    | ..... | D23/209    |
| D823,916 | S | * | 7/2018  | Lee       | ..... | D15/150    |
| D831,428 | S | * | 10/2018 | Gibson    | ..... | D7/533     |

\* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7