



US00D910744S

(12) **United States Design Patent** (10) **Patent No.:** **US D910,744 S**
Uesugi et al. (45) **Date of Patent:** **** Feb. 16, 2021**

(54) **PHOTOSENSITIVE DRUM FOR PROCESS
CARTRIDGE FOR IMAGE FORMING
APPARATUS**

(71) Applicant: **CANON KABUSHIKI KAISHA,**
Tokyo (JP)

(72) Inventors: **Tetsuo Uesugi**, Shizuoka-ken (JP);
Makoto Hayashida, Shizuoka-ken (JP);
Koji Yamaguchi, Shizuoka-ken (JP);
Takashi Yano, Shizuoka-ken (JP)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/672,359**

(22) Filed: **Dec. 5, 2018**

Related U.S. Application Data

(62) Division of application No. 35/503,601, filed on Feb.
22, 2017 (U.S. filing date under 35 U.S.C. 384), and
having an international filing date of Feb. 22, 2017,
now Pat. No. Des. 855,105.

(30) **Foreign Application Priority Data**

Aug. 24, 2016 (JP) 2016-017939

(51) **LOC (13) Cl.** **16-03**

(52) **U.S. Cl.**
USPC **D18/43**

(58) **Field of Classification Search**

USPC D18/36, 40, 43, 44, 50, 56
CPC B41J 2/175; B41J 2/17563; G03G 15/00;
G03G 15/655; G03G 15/757; G03G
21/16; G03G 21/181

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D240,201	S	*	6/1976	Avollo et al.		D18/43
D391,602	S	*	3/1998	Jyoroku		D18/43
D398,634	S	*	9/1998	Katayama		D18/43
D399,870	S	*	10/1998	Okada		D18/43
D424,608	S	*	5/2000	Yorifuji		D18/40
D478,118	S	*	8/2003	Neri		D18/40
D740,356	S	*	10/2015	Kikuchi		D18/43
D796,574	S	*	9/2017	Kamoshida		D18/43
D855,105	S	*	7/2019	Uesugi		G03G 15/757 D18/40

(Continued)

FOREIGN PATENT DOCUMENTS

JP	2017107142	A	6/2017
JP	2017142473	A	8/2017

Primary Examiner — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Venable LLP

(57) **CLAIM**


The ornamental design for a photosensitive drum for process
cartridge for image forming apparatus, as shown and
described.

DESCRIPTION

FIG. 1 is a front view showing my new design.
FIG. 2 is a back view thereof.
FIG. 3 is a top view thereof.
FIG. 4 is a bottom view thereof.
FIG. 5 is a left side view thereof.
FIG. 6 is a right side view thereof.
FIG. 7 is a perspective view thereof.
FIG. 8 is an enlarged left side view thereof; and,
FIG. 9 is an enlarged right side view thereof.
FIG. 8 is an enlarged view of FIG. 5; FIG. 9 is an enlarged
view of FIG. 6.

The portions of the photosensitive drum for process
cartridge for image forming apparatus shown in broken lines
form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D862,586 S *	10/2019	Oguma	G03G 21/181
			D18/43
2013/0064573 A1 *	3/2013	Swartz	G03G 15/757
			399/159
2018/0299826 A1 *	10/2018	Nonaka	G03G 21/181

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9

