



US00D910871S

(12) **United States Design Patent**
Johnson

(10) **Patent No.:** **US D910,871 S**

(45) **Date of Patent:** **** Feb. 16, 2021**

(54) **BACKBONE FOR BLOOD STORAGE
DEVICE**

(71) Applicant: **Boston Microfluidics, Inc.**, Boston,
MA (US)

(72) Inventor: **Brandon T. Johnson**, Somerville, MA
(US)

(73) Assignee: **Boston Microfluidics, Inc.**, Boston,
MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/667,204**

(22) Filed: **Oct. 19, 2018**

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/224**

(58) **Field of Classification Search**
USPC D24/107, 121–123, 216, 217, 219,
D24/223–227, 229–231, 232; D10/81
CPC B01L 3/5023
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,663 S *	11/1993	Coulter	D24/224
D342,575 S *	12/1993	Ashihara	D24/223
D456,082 S *	4/2002	Bouse	D24/223
D481,133 S *	10/2003	Blouin	D24/216
D495,425 S *	8/2004	Goris	D24/225
D512,512 S *	12/2005	Bell	D24/225
D528,215 S *	9/2006	Malmsater	D24/216

D631,556 S *	1/2011	Shi	D24/225
D734,482 S *	7/2015	Peterman	D24/216
D822,225 S *	7/2018	Moon	D24/224
D831,224 S *	10/2018	Hsu	D24/225
2019/0111421 A1 *	4/2019	Johnson	B01L 3/5023
2019/0126266 A1 *	5/2019	Johnson	B01L 3/502753

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Jones Day

(57) **CLAIM**

The ornamental design for a backbone for a blood storage device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a backbone part for a blood storage device embodying the design.

FIG. 2 is a view of one end of the backbone, taken from the right side end of the view of FIG. 1.

FIG. 3 is a view of another end of the backbone, taken from the left side end of the view of FIG. 1.

FIG. 4 is a view of the front.

FIG. 5 is a view of the rear.


FIG. 6 is a top view; and,

FIG. 7 is a bottom view.

The dot-dot-dash broken lines, the areas within them, and the top and bottom surfaces without shade lines depict portions of the backbone for blood storage device that form no part of the claimed design.

A backbone component as shown is used with a housing that accepts a blood sample.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 3




FIG. 6




FIG. 7