



US00D911026S

(12) **United States Design Patent**
Stevens

(10) **Patent No.:** **US D911,026 S**

(45) **Date of Patent:** **** Feb. 23, 2021**

(54) **PERSONAL EFFECTS HOLDER**

Primary Examiner — T Chase Nelson

(71) Applicant: **Darryl Stevens**, Buffalo Grove, IL (US)

(72) Inventor: **Darryl Stevens**, Buffalo Grove, IL (US)

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a personal effects holder, as shown and described.

(21) Appl. No.: **29/685,147**

(22) Filed: **Mar. 26, 2019**

DESCRIPTION

(51) **LOC (13) Cl.** **03-01**

(52) **U.S. Cl.**

USPC **D3/265**; D3/266

(58) **Field of Classification Search**

USPC D3/207, 215, 219, 229, 263–266, 299,

D3/211; D12/417; D16/330, 339;

24/3.3, 3.7, 3.8, 563; 206/5, 5.1, 6;

248/902; 351/112, 155

CPC A45C 11/04; A45C 11/005; A47F 7/02;

A47F 7/021

See application file for complete search history.

FIG. 1 is a front elevational view of a first embodiment of a personal effects holder showing my design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a rear perspective view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; FIG. 8 is a first front perspective view thereof; FIG. 9 is a second front perspective view thereof; FIG. 10 is a front elevational view thereof including an insert;

FIG. 11 is a front elevation view of a second embodiment of a personal effects holder showing my design; FIG. 12 is a left side elevational view thereof; FIG. 13 is a rear elevational view thereof; FIG. 14 is a rear perspective view thereof; FIG. 15 is a right side elevational view thereof; FIG. 16 is a top plan view thereof; FIG. 17 is a bottom plan view thereof; FIG. 18 is a first front perspective view thereof; FIG. 19 is a second front perspective view thereof; and, FIG. 20 is a front elevational view thereof including an insert.

The broken lines showing an insert in the FIGS. 10 and 20 views show environmental structure associated with the design in a condition of use and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D203,737 S * 2/1966 Friedman D99/34

D361,202 S * 8/1995 Seach D3/266

D445,251 S * 7/2001 Newler G02C 3/04

D463,104 S * 9/2002 Ames D3/215

D487,344 S * 3/2004 Sieger D3/219

D518,595 S * 4/2006 Morganfield, Jr. D27/161

D605,398 S * 12/2009 Rodriguez D3/219

D630,835 S * 1/2011 Easley D3/203.1

8,166,689 B1 * 5/2012 Emshoff A47G 1/12

8,739,368 B2 * 6/2014 Murphy, Jr. A45F 5/02


D717,537 S * 11/2014 Tsai A47G 1/12

D718,528 S * 12/2014 Garavaglia D3/264

D723,274 S * 3/2015 Almanaseer D3/264

(Continued)

1 Claim, 20 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D756,117 S * 5/2016 Harris A45F 5/02
D3/264
D762,507 S * 8/2016 Pipkin D10/106.9
D781,571 S * 3/2017 Moerer D3/215
D811,740 S * 3/2018 Harrison A45F 5/02
D3/264
D836,337 S * 12/2018 Stark D3/266
D877,497 S * 3/2020 Stevens D3/219
D888,411 S * 6/2020 Roh D3/215
2003/0229971 A1* 12/2003 Coyne A45F 5/02
24/3.3
2004/0200872 A1* 10/2004 Wissman A45F 5/02
224/604
2010/0294675 A1* 11/2010 Mangano A45C 11/04
206/5
2016/0025996 A1* 1/2016 Bacon A45F 5/02
24/3.3

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20