



US00D911265S

(12) **United States Design Patent** (10) **Patent No.:** **US D911,265 S**
Willey et al. (45) **Date of Patent:** **** Feb. 23, 2021**

(54) **BATTERY PACK**

2220/20; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H02G 3/285

(71) Applicant: **TTI (MACAO COMMERCIAL OFFSHORE) LIMITED**, Macau (MO)

See application file for complete search history.

(72) Inventors: **Brent Willey**, Anderson, SC (US);
Ryan Altenburger, Greenville, SC (US);
James Patton, Anderson, SC (US);
Denis Fauteux, Tsing Yi (HK);
Raymond Lee, Shatin (HK); **Joe Zhao**, Dongguan (CN);
J G Zhao, Dongguan (CN); **Jason Lishengping**, Dongguan (CN)

(56)

References Cited

U.S. PATENT DOCUMENTS

(73) Assignee: **TTI (MACAO COMMERCIAL OFFSHORE) LIMITED**, Macau (MO)

(**) Term: **15 Years**

(21) Appl. No.: **29/610,786**

(22) Filed: **Jul. 14, 2017**

(30) **Foreign Application Priority Data**

Jan. 17, 2017 (CN) 2017 3 0018092


(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/103, 107, 108, 110, 123, 133,
D13/137.1-137.4, 138.1-138.2,
D13/139.1-139.8, 152, 154, 184, 118,
D13/119, 199

CPC H01R 25/00; H01R 25/006; H01R 13/00;
H01R 13/04; H01R 13/10; H01R
13/6666; H01R 13/6675; H01R 13/62;
H01R 13/66; H01R 9/00; H01R 11/00;
H01H 2207/00; H01H 2207/022; H01H
2203/00; H02J 7/00; H02J 7/0003; H02J
7/0011; H02J 7/0013; H02J 7/0054; H02J
7/0055; H02J 7/0057; H01M 2/02; H01M
2/022; H01M 2/0202; H01M 2/0207;
H01M 2/0212; H01M 2220/10; H01M

D306,573 S	3/1990	Schultz	
D306,574 S	3/1990	Schultz	
D320,918 S	10/1991	Mochida	
D321,338 S *	11/1991	Sakamoto	D13/103
D323,642 S *	2/1992	Liao	D13/103
D342,479 S	12/1993	Kimata	
D345,727 S *	4/1994	Flowers	D13/103
D350,111 S	8/1994	Okumura	
D378,654 S	4/1997	Matsuoka et al.	
D383,435 S *	9/1997	Svetlik	D13/103
D384,639 S *	10/1997	Kawakami	D13/103
5,783,998 A	7/1998	Nakajou et al.	
D397,991 S	9/1998	Kawakami et al.	
D412,485 S *	8/1999	Kato	D13/103
D417,648 S *	12/1999	Clowers	D13/103
6,007,939 A *	12/1999	Clowers	B25F 5/00 429/100
D432,077 S *	10/2000	Zurwelle	D13/103
D435,013 S	12/2000	Clowers et al.	
D436,917 S	1/2001	Hayakawa et al.	
D442,452 S	5/2001	Stirm et al.	
6,357,533 B1	3/2002	Bucholz et al.	
D456,002 S	4/2002	Kato et al.	
D466,777 S	12/2002	Watson	
D466,779 S	12/2002	Shibata et al.	
D466,781 S	12/2002	Matsuoka et al.	
D466,863 S *	12/2002	Zurwelle	D13/119
D471,865 S	3/2003	Garvis et al.	
D474,445 S *	5/2003	Matsuoka	D13/103
D477,811 S	7/2003	Niwa et al.	
D481,672 S	11/2003	Niwa et al.	
D483,012 S	12/2003	Hsu	
D484,458 S	12/2003	Garvis et al.	
D484,850 S	1/2004	Johnson	
D487,426 S	3/2004	Johnson	
D488,774 S *	4/2004	Zufall	D13/103
D491,438 S	6/2004	Cheung et al.	
D502,377 S	3/2005	Aglassinger	
D504,111 S *	4/2005	Ozawa	D13/103
D504,394 S *	4/2005	Cheung	D13/103
6,913,087 B1	7/2005	Brotto et al.	
D508,643 S	8/2005	Concari et al.	
D510,317 S	10/2005	Sun	
D511,744 S	11/2005	Hsu et al.	
D512,373 S	12/2005	Tsai et al.	



EP	002773457-0001	10/2015
EP	002779694-0001	10/2015
EP	003027432-0001	3/2016
EP	003073840-0001	5/2016
EP	003073840-0002	5/2016
EP	003119973-0004	5/2016
EP	003119973-0005	5/2016
WO	2015061370	4/2015

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**

We claim the ornamental design for a battery pack, as shown and described.

OTHER PUBLICATIONS

Ryobi 18 Volt Compact Lithium Ion 1.5 Ah Battery, <https://www.amazon.com/Ryobi-P107-Compact-Lithium-Battery/dp/B00AV250JS/ref=sr_1_4?s=power-hand-tool&ie=UTF8&qid=1511132965&sr=1-4&keywords=ryobi+18v+batt> Ryobi, first available on amazon.com Dec. 31, 2012.

Ryobi 130224054 Drill Battery Pack 18-volt, Ryobi, first available on Amazon.com on Mar. 26, 2013, retrieved on Apr. 16, 2018, retrieved from the Internet URL: https://www.amazon.com/Ryobi-130224054-Original-Equipment-Manufacturer/dp.B00C1KULDS/ref=sr_1_19?s=hi&ie=UTF8&qid=1523902511&sr=1-19&keywords=ruobi+battery+pack.

* cited by examiner

Primary Examiner — Christy Nemeth

DESCRIPTION

FIG. 1 is a perspective view of a battery pack.

FIG. 2 is a front view of the battery pack.

FIG. 3 is a rear view of the battery pack.

FIG. 4 is a left side view of the battery pack.

FIG. 5 is a right side view of the battery pack.

FIG. 6 is a top view of the battery pack; and,

FIG. 7 is a bottom view of the battery pack.

The dash-dot broken lines in the drawings are for the purpose of illustrating a boundary and form no part of the claimed design. The dash-dash broken lines in the drawings are for the purpose of illustrating portions of the battery pack that form no part of the claimed design.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7