



US00D911296S

(12) **United States Design Patent**  
**Li et al.**

(10) **Patent No.:** **US D911,296 S**  
(45) **Date of Patent:** **\*\* Feb. 23, 2021**

- (54) **SWITCH**
- (71) Applicant: **Raffel Systems, LLC**, Germantown, WI (US)
- (72) Inventors: **Paul Li**, Milwaukee, WI (US);  
**Kenneth G. Seidl**, Port Washington, WI (US)
- (73) Assignee: **RAFFEL SYSTEMS, LLC**,  
Germantown, WI (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/701,772**
- (22) Filed: **Aug. 14, 2019**
- (51) **LOC (13) Cl.** ..... **13-03**
- (52) **U.S. Cl.**  
USPC ..... **D13/169**
- (58) **Field of Classification Search**  
USPC ..... D13/162, 171, 174, 169  
CPC .. H01H 9/02; H01H 9/16; H01H 9/18; H01H 9/181; H01H 9/182; H01H 13/023; H01H 13/04; H01H 13/06; H01H 2009/187; H01H 23/02; H01H 23/025; H01H 23/04; H01H 23/08; H01H 23/12; H01H 23/14; H01H 23/43; H01H 23/145; H01H 23/164; H05B 39/02; H05B 39/04; H05B 39/085; H05B 39/086; H05B 39/088; G08C 17/02; A47C 7/506; A47C 1/0345; A47C 1/035  
See application file for complete search history.

- 6,724,102 B1 \* 4/2004 Kelwaski ..... B60L 1/00 307/10.1
- D533,143 S \* 12/2006 Jones ..... D13/169
- D626,093 S \* 10/2010 Bates ..... D13/174
- 7,960,664 B2 \* 6/2011 Inoue ..... H01H 23/164 200/339
- D652,390 S \* 1/2012 Boehm ..... D13/158
- 9,024,215 B2 \* 5/2015 Chiba ..... H01H 23/162 200/257
- D764,420 S \* 8/2016 Naka ..... D13/171
- D788,718 S \* 6/2017 Tang ..... D13/169
- D808,910 S \* 1/2018 Gassner ..... D13/169
- D813,179 S \* 3/2018 Wu ..... D13/169
- D853,975 S \* 7/2019 Gassner ..... D13/169
- D867,310 S \* 11/2019 Li ..... D13/169
- D874,410 S \* 2/2020 Li ..... D13/169
- D880,432 S \* 4/2020 Tang ..... D13/169

(Continued)

**OTHER PUBLICATIONS**

Okin Power Recliner Lift Chair Switch 4 Button 5 Pin Plug Control Handset With USB; Jan. 15, 2020; 2 pgs.; Amazon.com.\*

*Primary Examiner* — Selina Sikder  
(74) *Attorney, Agent, or Firm* — Casimir Jones S.C.; Tyler Sisk

(57) **CLAIM**



The ornamental design for a switch, as shown and described.

**DESCRIPTION**

FIG. 1 is a three-quarter perspective view showing our new design of a switch;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.  
The broken lines shown in FIGS. 1 through 6 are for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
4,899,063 A \* 2/1990 Suck ..... H01H 13/70 307/9.1  
D310,202 S \* 8/1990 Suck ..... D13/164  
6,388,221 B1 \* 5/2002 Rudolph ..... H01H 23/04 200/339



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D885,351 S \* 5/2020 Li ..... D13/169  
D885,352 S \* 5/2020 Li ..... D13/169  
D885,353 S \* 5/2020 Li ..... D13/169  
2005/0258023 A1\* 11/2005 Nagai ..... H01H 23/14  
200/339  
2014/0306505 A1\* 10/2014 Koch ..... A47C 7/72  
297/330  
2017/0287657 A1\* 10/2017 Naka ..... H01H 13/14

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

