



US00D911565S

(12) **United States Design Patent**
Bertken

(10) **Patent No.:** **US D911,565 S**

(45) **Date of Patent:** **** Feb. 23, 2021**

(54) **LANTERN**

(71) Applicant: **IDEAPOND LLC**, San Diego, CA
(US)

(72) Inventor: **Dennis Bertken**, San Diego, CA (US)

(73) Assignee: **IDEAPOND LLC**, Las Vegas, NV
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/674,670**

(22) Filed: **Dec. 22, 2018**

(51) **LOC (13) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/41**

(58) **Field of Classification Search**
USPC D26/37, 40-41, 46, 49-50
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 13/00; F21L 13/04; F21L 14/02;
F21L 17/00; F21L 19/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D342,800 S *	12/1993	Petterson	D26/41
5,293,306 A *	3/1994	Bamber	F21L 4/02
				362/186
D350,830 S *	9/1994	Bamber	D26/42
D374,099 S *	9/1996	Bamber	D26/41
D441,887 S *	5/2001	Long	D26/40
D443,706 S *	6/2001	Israel	D26/40
D532,134 S *	11/2006	Lo	D26/40
D541,961 S *	5/2007	Tarter	D26/40
D555,264 S *	11/2007	Farmer	D26/37
D612,084 S *	3/2010	Hillard	D26/40
D638,152 S *	5/2011	Leung	D26/40
D658,324 S *	4/2012	Reimann	D26/40

D695,434 S *	12/2013	Shen	D26/41
8,662,699 B2 *	3/2014	Tarter	F21L 4/027
				362/183
D705,467 S *	5/2014	Aglassinger	D26/41

(Continued)

OTHER PUBLICATIONS

target.com: Life Gear Dorcy 360 Degree Cob LED Battery Operated Lantern. Undated online product page. Retrieved from internet Oct. 6, 2020 from <https://www.target.com/p/life-gear-dorcy-360-degree-cob-led-battery-operated-lantern-gray/-/A-80375391> (Year: 2020).*

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Stacey L Hopkins

(74) *Attorney, Agent, or Firm* — US IP Attorneys, P.C.;
Timothy Marc Shropshire


(57) **CLAIM**

The ornamental design for a lantern, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a lantern showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a right-side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a front perspective view thereof;
FIG. 9 is a front perspective view thereof;
FIG. 10 is a rear perspective view thereof; and,
FIG. 11 is a rear perspective view thereof, showing the handle and the port cover in alternate positions.
The broken lines in the drawings depict parts of the lantern that form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D706,968 S * 6/2014 McDonough D26/41
D747,523 S * 1/2016 Salmon D26/40
D759,869 S * 6/2016 Huang D26/41
D809,689 S * 2/2018 Marshall D26/41
D809,690 S * 2/2018 Marshall D26/41
D844,202 S * 3/2019 Bennett D26/41
D850,683 S * 6/2019 Shelton D26/41

OTHER PUBLICATIONS

amazon.com: Energizer LED Camping Lantern Flashlight. Date uploaded Dec. 2, 2009 [site visited Oct. 6, 2020]. Retrieved from <https://www.amazon.com/Energizer-Flashlight-Hurricane-Emergency-Resistant/dp/B01N5MBY3J/ref=sr_1_16?dchild=1&keywords=Life+Gear+Dorcy+360+Degree+Cob+LED . . . > (Year: 2009).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11