



US00D911580S

(12) **United States Design Patent** (10) **Patent No.:** **US D911,580 S**
Hrach (45) **Date of Patent:** **** *Feb. 23, 2021**

(54) **DRIVER FOR LIGHT SOURCES**

(71) Applicant: **TRIDONIC GMBH & CO KG**,
Dornbirn (AT)

(72) Inventor: **Juergen Hrach**, Feldkirch (AT)

(73) Assignee: **TRIDONIC GMBH & CO KG**,
Dornbirn (AT)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **35/505,945**

(22) Filed: **Sep. 13, 2018**

(80) **Hague Agreement Data**

Int. Filing Date: **Sep. 13, 2018**

Int. Reg. No.: **DM/103288**

Int. Reg. Date: **Sep. 13, 2018**

Int. Reg. Pub. Date: **Nov. 2, 2018**

(30) **Foreign Application Priority Data**

Mar. 16, 2018 (EM) 004761526

(51) **LOC (13) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/76**

(58) **Field of Classification Search**

USPC D26/51, 57, 72, 73, 81, 83, 85, 86, 88,
D26/90, 93, 94, 101, 111, 113, 118, 119,
D26/120, 121, 122, 125, 127, 138, 139,
D26/140, 141, 142, 152

CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S
8/033; F21S 8/035-037; F21S 8/04; F21S
8/043; F21S 8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,441 S * 8/1981 Ariga D26/3
D266,026 S * 8/1982 Ariga D26/3
D307,059 S * 4/1990 Szymanek D26/76
D418,936 S * 1/2000 Dunning D26/76

(Continued)

Primary Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Scully, Scott, Murphy &
Presser, P.C.

(57) **CLAIM**

The ornamental design for a driver for light sources, as shown and described.

DESCRIPTION

1.-2. Driver for light sources

Fig 1.1 illustrates a top perspective view of a driver for light sources, showing a first embodiment of my new and ornamental design;

Fig 1.2 illustrates an alternate top perspective view thereof;

Fig 1.3 illustrates a top plan view thereof;

Fig 1.4 illustrates a bottom plan view thereof;

Fig 1.5 illustrates a side elevation view of thereof;

Fig 1.6 illustrates a front elevation view of thereof;

Fig 1.7 illustrates a back elevation view thereof;

Fig 2.1 illustrates a top perspective view of a driver for light sources, showing a second embodiment of my new and ornamental design;

Fig 2.2 illustrates an alternate top perspective view thereof;

Fig 2.3 illustrates a top plan view thereof;

Fig 2.4 illustrates a bottom plan view thereof;


Fig 2.5 illustrates a side elevation view of thereof;

Fig 2.6 illustrates a back elevation view of thereof; and

Fig 2.7 illustrates a front elevation view thereof.

The broken lines in the drawings illustrate portions of the driver for light sources and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D573,730	S	*	7/2008	Uemoto	D26/1
D647,246	S	*	10/2011	Chadwick	D26/138
D679,860	S	*	4/2013	Maxik	D26/141
D695,439	S	*	12/2013	Kim	D26/72
D696,439	S	*	12/2013	He	D26/24
D791,383	S	*	7/2017	Yu	D26/76
D793,604	S	*	8/2017	Whitter	D26/80
D820,500	S	*	6/2018	Li	D26/76
D822,269	S	*	7/2018	Oquendo, Jr.	D26/155
D822,872	S	*	7/2018	Frederiksen	D26/76
D827,182	S	*	8/2018	Deusing	D26/76
D829,972	S	*	10/2018	Sonneman	D26/138
D846,786	S	*	4/2019	Tremaine	D26/76
D853,616	S	*	7/2019	Salas	D26/74

* cited by examiner




Fig. 1.1




Fig. 1.2




Fig. 1.3




Fig. 1.4




Fig. 1.5



Fig. 1.6



Fig. 1.7




Fig. 2.1




Fig. 2.2



Fig. 2.3




Fig. 2.4



Fig. 2.5



Fig. 2.6




Fig. 2.7