



US00D911666S

(12) **United States Design Patent** (10) **Patent No.:** **US D911,666 S**
Sidenstein et al. (45) **Date of Patent:** **** Mar. 2, 2021**

(54) **BISCUIT**

(71) Applicant: **GRIESSON—DE BEUKELAER**
GmbH & Co KG, Polch (DE)

(72) Inventors: **Tim-Arne Sidenstein, Mayen (DE);**
Christoph Koch, Koblenz (DE)

(73) Assignee: **GRIESSON—DE BEUKELAER**
GmbH & Co. KG, Polch (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/709,525**

(22) Filed: **Oct. 15, 2019**

(30) **Foreign Application Priority Data**

Oct. 10, 2019 (EM) 007009188-0002

(51) **LOC (13) Cl.** **01-01**

(52) **U.S. Cl.**
USPC **D1/128; D9/453**

(58) **Field of Classification Search**

USPC D1/100–130, 199; 426/5, 76, 87, 92, 94,
426/95, 99, 101, 103, 104, 108, 138–139,
426/143, 144, 279, 282, 283, 391, 514,
426/549, 559, 560, 660, 808, 249, 516;
D21/386, 803; D25/138; D7/359;
D6/597, 601, 595, 598; 119/710;
D30/160; D9/436, 447, 452, 453, 456,
D9/669; D24/101–104; D26/125

CPC A21D 13/0022; A23L 1/1641; A47J
37/0611; A21B 5/00; A21B 5/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,311 S * 8/1899 Schroeder D9/453
D231,972 S * 7/1974 Mitchell D9/556

D298,147 S * 10/1988 Tesla D21/443
D300,381 S * 3/1989 Cutone D1/129
D301,550 S * 6/1989 Mobberley D9/453
D312,758 S * 12/1990 Wolff D7/675
D356,871 S * 3/1995 Dunn D24/197
6,061,950 A * 5/2000 Carey A01M 1/2066
43/125
D442,710 S * 5/2001 Pappas D26/7
D468,153 S * 1/2003 Seager D7/392.1
D469,318 S * 1/2003 Lam D7/625
D470,413 S * 2/2003 Seidita D9/452
D475,504 S * 6/2003 Hodgdon D1/130
D548,016 S * 8/2007 Jackson D7/625
D548,086 S * 8/2007 Conway D7/300.1
D585,202 S * 1/2009 Curtis D6/351
D659,346 S * 5/2012 Augis D1/129

(Continued)

Primary Examiner — Katie Jane Stoffko

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds &
Lowe, P.C.

(57) **CLAIM**

The ornamental design for a biscuit, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a biscuit according to the present invention.

FIG. 2 is a front view of the biscuit of FIG. 1.

FIG. 3 is a rear view of the biscuit of FIG. 1.

FIG. 4 is a left side view of the biscuit of FIG. 1.

FIG. 5 is a right side view of the biscuit of FIG. 1.

FIG. 6 is a top view of the biscuit of FIG. 1; and,


FIG. 7 is a bottom view of the biscuit of FIG. 1.

The dashed lines shown in FIGS. 1–6 illustrate portions of the biscuit that form no part of the claimed design.

The broken lines shown in FIGS. 1–6 illustrate portions of the biscuit that form no part of the claimed design.

The more concentrated stippled shading and less concentrated stippled shading shown in FIGS. 1–7 represent a contrasting appearance.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D670,166 S	*	11/2012	Lavender	D9/453
D684,057 S	*	6/2013	Kwon	D9/453
D767,820 S	*	9/2016	Jordan	D27/170
D779,725 S	*	2/2017	Bramley	D27/170
D781,178 S	*	3/2017	Harpole	D11/222
D782,108 S	*	3/2017	Jordan	D27/167
D799,961 S	*	10/2017	Yu	D9/452
D809,741 S	*	2/2018	Arsie'	D1/128
D852,410 S	*	6/2019	Hawes	D27/170

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7