



US00D911676S

(12) **United States Design Patent** (10) **Patent No.:** **US D911,676 S**
Griffin (45) **Date of Patent:** **** Mar. 2, 2021**

(54) **COMBINED CAP AND CARRYING BAG**

(71) Applicant: **Steven Griffin**, Sunapee, NH (US)

(72) Inventor: **Steven Griffin**, Sunapee, NH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/696,476**

(22) Filed: **Jun. 27, 2019**

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/865**

(58) **Field of Classification Search**

USPC D2/865, 866, 869, 870, 872, 876, 879,
D2/882, 884, 895

CPC A42B 1/00; A42B 1/004; A42B 1/006;
A42B 1/02; A42B 1/062; A42B 1/22;
A42B 1/24; A42B 1/241; A42B 1/248;
A42C 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

919,984	A	4/1909	Powell et al.	
1,172,927	A	2/1916	Bloch	
1,422,435	A	7/1922	Gooding	
2,122,171	A	6/1938	Alexander	
D169,523	S *	5/1953	Tuteur	D2/865
2,655,256	A *	10/1953	Guest	A42B 1/18 206/8
2,744,256	A *	5/1956	Slotkin	A42B 1/241 2/209.13
4,165,542	A	8/1979	McLaughlin	
4,357,020	A	11/1982	Van Bryant, Jr.	
4,610,038	A	9/1986	Dennard	
4,937,885	A	7/1990	Gregg	
5,214,802	A	6/1993	McCallum	
5,303,427	A	4/1994	Fishbaine	
5,450,629	A	9/1995	Gilstrap	
5,579,540	A	12/1996	Walker	

5,742,944	A	4/1998	Pfefferman	
D396,943	S *	8/1998	Dunlavey	D2/882
6,314,583	B1	11/2001	Cho	
D503,260	S *	3/2005	Kim	D2/865
D504,003	S *	4/2005	Lee	D2/882
7,073,207	B2 *	7/2006	Kim	A42B 1/004 2/195.1
D534,347	S *	1/2007	Prentice	D3/238
D570,579	S *	6/2008	Hall	D2/882

(Continued)

Primary Examiner — Jasmine Mlinarcik

(74) *Attorney, Agent, or Firm* — Grossman, Tucker,
Perreault & Pfleger, PLLC


(57) **CLAIM**

The ornamental design for a combined cap and carrying bag,
as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view in the open position of the combined cap and carrying bag of the present invention; FIG. 2 is a front view in the open position thereof; FIG. 3 is a rear view in the open position thereof; FIG. 4 is a left view in the open position, the right view being a mirror image thereof; FIG. 5 is a top view in the open position thereof; FIG. 6 is a bottom view in the open position thereof; FIG. 7 is a bottom perspective view of the combined cap and carrying bag in a closed position; FIG. 8 is a front view in the closed position thereof; FIG. 9 is a rear view in the closed position thereof; FIG. 10 is left view in the closed position, the right view being a mirror image thereof; FIG. 11 is a top view in the closed position thereof; and, FIG. 12 is a bottom view in the closed position thereof. Portions of the combined cap and carrying bag shown in broken lines in FIGS. 1-12 form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D593,732	S	*	6/2009	Tilley	D2/886
D600,893	S	*	9/2009	Hayashida	D2/891
D626,726	S		11/2010	Raible	
D707,018	S	*	6/2014	Hart	D2/882
D771,913	S	*	11/2016	Hernandez, Jr.	D2/882
2012/0317698	A1		12/2012	Rinck	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12