



US00D911777S

(12) **United States Design Patent**  
**Spence**(10) **Patent No.:** **US D911,777 S**  
(45) **Date of Patent:** **\*\* Mar. 2, 2021**(54) **COOLING CONTAINER INCLUDING AN OUTER CONTAINER AND TWO INNER CONTAINERS**(71) Applicant: **Kesha Spence**, Clifton, NJ (US)(72) Inventor: **Kesha Spence**, Clifton, NJ (US)(73) Assignee: **Kesha Spence**, Paterson, NJ (US)(\*\*) Term: **15 Years**(21) Appl. No.: **29/666,721**(22) Filed: **Oct. 15, 2018****Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/552,177, filed on Jan. 20, 2016, now abandoned.

(51) **LOC (13) Cl.** ..... **05-01**(52) **U.S. Cl.**USPC ..... **D7/501; D7/629**(58) **Field of Classification Search**

USPC ..... D7/541, 589, 598, 600, 629, 505; D9/421; 206/563; 229/904

CPC ..... B65D 5/48018; B65D 1/36; B65D 5/10; B65D 81/3823; B65D 43/0212

See application file for complete search history.

(56) **References Cited****U.S. PATENT DOCUMENTS**

- 2,924,372 A \* 2/1960 Kirkeby ..... B65D 5/48018  
206/563  
D408,222 S \* 4/1999 Carter ..... D7/541  
D464,567 S \* 10/2002 Baerenwald ..... D9/432  
D472,774 S \* 4/2003 Pelstring ..... D7/629  
D474,402 S \* 5/2003 Baerenwald ..... D9/420  
7,293,695 B2 \* 11/2007 Stier ..... B65D 5/10  
206/564  
D574,189 S \* 8/2008 Stamper ..... D7/505  
D601,381 S \* 10/2009 Stamper ..... D7/505

D615,822 S \* 5/2010 Klein ..... D7/541  
7,954,664 B2 \* 6/2011 Cronin ..... B65D 43/0212  
220/819  
D649,869 S \* 12/2011 Gibson ..... D9/421  
D650,267 S \* 12/2011 Gibson ..... D9/428  
D656,789 S \* 4/2012 Locke ..... D7/541  
D659,023 S \* 5/2012 Hsu ..... D9/737  
D688,921 S \* 9/2013 Miroslav ..... D7/629  
D695,575 S \* 12/2013 Katz ..... D7/629  
(Continued)

*Primary Examiner — Cynthia R Underwood*(57) **CLAIM**

The ornamental design for a cooling container including an outer container and two inner containers, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a cooling container including an outer container and two inner containers showing my new design;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof;


FIG. 7 is a bottom plan view thereof;

FIG. 8 is a front perspective view of the outer container with the lid open and revealing the interior, shown with the two inner containers removed for ease of illustration;

FIG. 9 is a front perspective view of the first inner container with the lid open, shown separated from the outer container and the second inner container;

FIG. 10 is a rear perspective view of the second inner container with the lid open, shown separated from the outer container and the first inner container; and,

FIG. 11 is a rear perspective exploded view of the cooling container including an outer container and two inner containers.

**1 Claim, 10 Drawing Sheets**


(56)

**References Cited**


**U.S. PATENT DOCUMENTS**

D696,910 S \* 1/2014 Franczyk ..... D7/629  
D698,206 S \* 1/2014 Molayem ..... D7/629  
D760,035 S \* 6/2016 Kim ..... D7/629  
D763,706 S \* 8/2016 Shum ..... D9/737  
D764,237 S \* 8/2016 Yen ..... D7/629  
D880,957 S \* 4/2020 Xu ..... D7/629  
D891,879 S \* 8/2020 Adams, Jr. ..... D7/629  
2006/0201950 A1\* 9/2006 Liu ..... B65D 1/36  
220/526  
2010/0224531 A1\* 9/2010 Claffy ..... B65D 81/3823  
206/561  
2020/0262637 A1\* 8/2020 Tattam ..... B65D 5/12


\* cited by examiner




**FIG. 1**




**FIG. 2**



**FIG.3**



**FIG. 4**



**FIG. 5**







FIG. 6




**FIG. 7**




**FIG. 8**



**FIG. 10**



**FIG. 9**



**FIG. 11**