



US00D911909S

(12) **United States Design Patent**
Rosello Visa

(10) **Patent No.:** **US D911,909 S**
(45) **Date of Patent:** **** Mar. 2, 2021**

- (54) **VEHICLE WHEEL RIM**
- (71) Applicant: **AUDI AG**, Ingolstadt (DE)
- (72) Inventor: **Albert Rosello Visa**, Ingolstadt (DE)
- (73) Assignee: **AUDI AG**, Ingolstadt (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/722,735**
- (22) Filed: **Jan. 31, 2020**
- (30) **Foreign Application Priority Data**
 - Oct. 14, 2019 (EM) 007022132
- (51) **LOC (13) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/209**
- (58) **Field of Classification Search**
 - USPC D12/204–213; D21/563
 - CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12

See application file for complete search history.

- (56) **References Cited**
 - U.S. PATENT DOCUMENTS**
 - D753,045 S * 4/2016 Kawaguchi D12/209
 - D759,566 S * 6/2016 Valencia Pollex D12/211
 - D775,044 S * 12/2016 Smith D12/209

D847,719 S *	5/2019	Rosello Visa	D12/209
D848,925 S *	5/2019	Myrberg	D12/209
D857,590 S *	8/2019	Setter	D12/209
D858,411 S *	9/2019	Rosello Visa	D12/209
D860,910 S *	9/2019	Daniel	D12/209
D871,995 S *	1/2020	Bjerke	D12/209
D877,025 S *	3/2020	Rosello Visa	D12/209
D878,994 S *	3/2020	Liu	D12/209
D880,395 S *	4/2020	Valencia Pollex	D12/209
D881,102 S *	4/2020	Liu	D12/209
D889,361 S *	7/2020	Minchella	D12/209
D894,810 S *	9/2020	Rosello Visa	D12/209
D896,726 S *	9/2020	Rosello Visa	D12/209
D896,728 S *	9/2020	Rosello Visa	D12/209
D897,260 S *	9/2020	Rosello Visa	D12/209
D897,261 S *	9/2020	Valencia Pollex	D12/209
D898,652 S *	10/2020	Valencia Pollex	D12/209
D904,958 S *	12/2020	Setter	D12/209
D906,217 S *	12/2020	Rosello Visa	D12/209

* cited by examiner

Primary Examiner — Stacia A Cadmus
(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP; Klaus P. Stoffel



(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 2