



US00D911953S

(12) **United States Design Patent**  
**Yin et al.**

(10) **Patent No.:** **US D911,953 S**

(45) **Date of Patent:** **\*\* Mar. 2, 2021**

(54) **PORTABLE POWER SUPPLY**

(71) Applicant: **SHENZHEN POWEROAK  
NEWENER CO., LTD**, Shenzhen (CN)

(72) Inventors: **Xiangzhu Yin**, Shenzhen (CN);  
**Zhiliang Liu**, Shenzhen (CN); **Gang  
Wang**, Shenzhen (CN); **Xiaojie Huang**,  
Shenzhen (CN)

(73) Assignee: **SHENZHEN POWEROAK  
NEWENER CO., LTD**, Shenzhen (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/703,522**

(22) Filed: **Aug. 28, 2019**

(51) **LOC (13) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/108; D13/103**

(58) **Field of Classification Search**  
USPC ..... **D13/102-108, 110, 118, 119, 184, 199,  
D13/154, 156, 116**

CPC ..... **Y02E 60/10; Y02E 60/12; Y02E 60/122;  
Y02E 60/124; Y02E 60/50; H01M 2/02;  
H01M 2/022; H01M 2/0202; H01M  
2/0207; H01M 2/0212; H01M 2/1061;  
H01M 2/1022; H01M 2/1055; H01M  
2/1066; H01M 2/105; H01M 2/20; H01M  
2/202; H01M 2/204; H01M 2/206; H01M  
10/44; H01M 10/46; H01M 10/465;  
H01M 10/482; H01M 10/4257; H01M  
10/0436; H01M 10/48; H01M 2200/30;  
H01M 2250/30; H01M 2250/40; H02J  
7/00; H02J 7/0003; H02J 7/0011; H02J  
7/0013; H02J 7/0054; H02J 7/0055; H02J  
7/0057; H02J 2007/0062; H02G 15/18;  
H02G 15/1826; H01R 13/516; H01R  
13/518; H01R 13/52; H01R 13/46; H01R  
13/50; H01R 13/506; H01R 13/5213**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D643,810	S	*	8/2011	Qualls	.....	D13/106
D643,811	S	*	8/2011	Qualls	.....	D13/106
D647,052	S	*	10/2011	Qualls	.....	D13/106
D664,499	S	*	7/2012	Workman	.....	D13/107
D681,548	S	*	5/2013	Zhang	.....	D13/102
D781,783	S	*	3/2017	Inskeep	.....	D13/107
D828,293	S	*	9/2018	Li	.....	D13/102
D837,149	S	*	1/2019	Yin	.....	D13/108

(Continued)

*Primary Examiner* — Christy Nemeth

(74) *Attorney, Agent, or Firm* — IPro, PLLC


(57) **CLAIM**

The ornamental design for a portable power supply, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a portable power supply of our new design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is a front elevation view thereof;  
FIG. 4 is a rear elevation view thereof;  
FIG. 5 is a left side elevation view thereof;  
FIG. 6 is a right side elevation view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a bottom plan view thereof; and,  
FIG. 9 is an enlarged view of the area “9” shown in FIG. 2. The dash-dash broken lines in the drawings are for the purpose of illustrating portions of the portable power supply that form no part of the claimed design. The dash-dot broken lines in the drawings are for the purpose of illustrating a boundary of area “9” shown in FIGS. 2 and 9, and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D841,572 S	*	2/2019	Gilpatrick .....	D13/103
D842,240 S	*	3/2019	Lai .....	D13/107
D864,864 S	*	10/2019	Xu .....	D13/110
D867,283 S	*	11/2019	Hoffmann et al. ....	D13/110
D874,395 S	*	2/2020	Sun .....	D13/107
D897,283 S	*	9/2020	Sun .....	D13/108
D897,284 S	*	9/2020	Sun .....	D13/108

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9